





Authorized Distributor Personal Safety 3M™ Scott™ Air-Pak™ X3 Pro SCBA 3M™ Scott™ Vision C5 Facepiece

Contents

3M™ Scott™ Equipment	2-5
Head/Face Protection	6-8
Hand Protection	9 - 11
Safety Footwear	12 - 15
Custom Apparel	16 - 19
Swiftwater Rescue	20 - 23
Thermal Imaging	24 - 25
Gas Detection	26 - 27
Lighting	28 - 29
Extrication	30 - 42
Hoses	43 - 45
Lithium-lon Solutions	46 - 49
Compressors	50
Decon and Storage	51 - 55
Services	56



The Future of Firefighting from 3M Scott





3M™ Scott™ Air-Pak™ X3 Pro SCBA

- Real-time responder SCBA information
- Integrated Drag Rescue Loop
- Dual-Redundant Pressure Reducer
- E-Z Flo C5 Regulator offers lower breathing resistance
- · Vibralert provides audible and tactile low-air alarm
- Snap-Change cylinder connection allows rapid replacement of cylinders
- Universal Emergency Breathing Safety System (UEBSS)
- Electronic PAR (ePAR) for improved accountability and communications
- · Natural articulation promotes greater range of motion
- Easy-to-remove harness to assist with cleaning and decontamination
- Harness materials resistant to chemicals and water absorption
- "As Long As You Own It" Warranty
- Certified to NFPA 1981/1982, 2018 Edition

ITEM #	PRICE
X8914N25005303	\$7,250.00/EA





Vision C5 Facepiece with Radio Direct Interface

- Radio Direct Interface utilizing existing compatible two-way radios
- Bone Conduction Headphones
- Rechargeable lithium-ion battery
- Modify settings using iOS or Android™ mobile applications
- · Vibralert EOSTI helps improve two-way radio communications

ITEM #	SIZE	NECK STRAP	PRICE
FP1(size)K0002M10010	SM - LG	No	\$2,102.75/EA
FP1(size)K0102M10010	SM - LG	Yes	\$2,169.40/EA





3M™ Scott™ Sight In-Mask Thermal Imager (with Pro Package)

- · In-Mask Display, adjustable to your line of sight
- · Auto system power off when not in use
- Single-Button power-off, instantaneous power on
- Minimum four-hour battery Life Powered by simple, everyday AAA batteries
- Fits Any AV-3000 HT Facepiece Buy complete kit or upgrade your current facepiece
- Mobile Configurater Application iOS and Android compatible; Allows configuration of individual settings
- Hot-Spot Tracker / Cold-Spot Tracker-Immediately identify the hottest / coldest part of the scene and display its relative temperature. Ideal for overhaul, search and rescue, risk assessment, and Hazmat
- · Automatically record all display information

ITEM #	MASK SIZE	PRICE
20158111P	SM	\$2,841.66/EA
20158211P	MD	\$2,841.66/EA
20158311P	LG	\$2,841.66/EA

ITEM #	IMAGER ONLY	PRICE
20158502		\$2,140.76/EA







3M™ Scott™ Air-Pak™ X3 Pro SCBA Compatible Air Cylinders

CYLINDER #	PRESSURE (PSIG)	MINUTES	FITTING	PRICE
80484001	2216	30	Threaded	\$1,514.12/EA
80472101	4500	30	Threaded	\$1,627.15/EA
80472201	4500	45	Threaded	\$1,940.30/EA
80472301	4500	60	Threaded	\$2,160.86/EA
20093001	5500	30	Threaded	\$1,774.88/EA
20096901	5500	45	Threaded	\$2,105.71/EA
20097201	5500	60	Threaded	\$2,783.10/EA
20013101	2216	30	Snap-Change	\$1,549.12/EA
20012801	4500	30	Snap-Change	\$1,627.15/EA
20012901	4500	45	Snap-Change	\$1,940.30/EA
20013001	4500	60	Snap-Change	\$2,160.86/EA
20096701	5500	30	Snap-Change	\$1,774.88/EA
20097001	5500	45	Snap-Change	\$2,105.71/EA
20097301	5500	60	Snap-Change	\$2,337.72/EA







3M[™] Scott[™] AV-3000 HT Facepiece, Kevlar Head Harness

- Meets all requirements established in the NFPA 1981, 2018 Edition standard, for enhanced thermal durability and voice intelligibility performance
- Compatible with multiple SCBA models approved for use with 2018 edition, 2013 edition, 2007, and 2002 edition Air-Pak™ SCBA
- · ANSI Z87.1-2010 Impact Rated
- Compatible with EPIC 3 Communication System

ITEM #	SIZE	STRAPS	BRACKET	PRICE
2012150(size)	SM - LG	5	No	\$568.95/EA
2012152(size)	SM - LG	4	No	\$477.90/EA
20121527	SM	4	Yes	\$508.67/EA
20121528	MD	4	Yes	\$508.67/EA
20121529	LG	4	Yes	\$508.67/EA



3M™ Scott™ V320 Thermal Imager

- 320x240 high-resolution sensor with a 3.5" high-contrast display
- Up to 8-hour runtime with a removable, rechargeable battery
- · Fast startup time Ready for use within five seconds
- Dynamic Range: -20 C to +650 C
- Operating Temperature Range Continuous: -20 C to 55+ C (-4 F to 131 F)
- IP rating: IP67 (IEC 60529): Complete camera with battery inserted
- Drop: IEC 60068-2-31 & 2m (6.6') concrete UN 38.3, Test T.6: Impact Crush
- Shock: IEC 60068-2-27, UN 38.3, Test T.4: Shock

ITEM #	PRICE
8007134	\$3,270.52/EA





3M™ Scott™ RIT-Pak Fast Attack

- 3M™ Scotchlite™ Reflective Material with abrasion and water resistance
- Color-coded storage compartments for low/high-pressure components
- Sized for facepiece and mask-mounted regulator to be pre-connected
- Shoulder strap for use as a pick-off strap during RIT removal
- · Carabiner on each end for attachment to firefighter being rescued
- · Reinforced protective bottom reduces friction when dragging

	ITEM #	BAG SIZE	PRESSURE (PSIG)	EBSS HOSE	PRICE
Ī	20156401	MD	4500	Hansen	\$3,622.99/EA
	20156402	MD	5500	Hansen	\$3,622.99/EA
	20156403	SM	4500	Hansen	\$3,622.99/EA
	20156411	MD	4500	Rectus	\$3,769.20/EA
	20156412	MD	5500	Rectus	\$3,769.20/EA
	20156413	SM	4500	Rectus	\$3,769.20/EA
	CYLINDER #	PRESSURE (PSIG)	TIME	PRICE	
	20156101	4500	15 min.	\$1,123.61	I/EA
	20087001	4500	30 min.	\$1,813.49	9/EA
	20156701	5500	30 min.	\$1,774.88	8/EA
	20156801	5500	45 min.	\$2,105.7	1/EA



3M™ Scott™ RIT-Pak III

- Compatible with all SCBA compliant to the NFPA 1981, 2018
 Edition standard and equipped with Universal EBSS
- Low-pressure hose and manifold provides compatibility with other non-3M Scott SCBA, using separate adapters and airline fittings
- · Hi-Viz orange with reflective material
- · Skid plate for ease of dragging and added durability
- External pressure gauge with HUD-style lights
- Audible bell alarm to differentiate low-air alarm from other firefighters SCBA



PSIG

TIME

PRICE

					OTEMBER II	1 010	111112	TRIOE
ITEM #	PSIG	EBSS HOSE	FACEPIECE	PRICE	80484001	2216	30 min.	\$1,549.12/EA
20095401	2216	Hansen	AV-3000	\$1,549.12/EA	80472101	4500	30 min.	\$1,627.15/EA
20095402	4500	Hansen	AV-3000	\$1,627.15/EA	80472201	4500	45 min.	\$1,940.30/EA
20095405	5500	Hansen	AV-3000	\$1,940.30/EA	80472301	4500	60 min.	\$2,160.86/EA
20095411	2216	Rectus	AV-3000	\$2,160.86/EA	20093001	5500	30 min.	\$1,774.88/EA
20095412	4500	Rectus	AV-3000	\$1,774.88/EA	20096901	5500	45 min.	\$2,105.71/EA
20095415	5500	Rectus	AV-3000	\$2,105.71/EA	20097201	5500	60 min.	\$2,783.10/EA
20095435	5500	Rectus	Vision C5	\$2,783.10/EA	20097501	5500	75 min.	\$2,578.05/EA

CYLINDER #









Fire Dex

Captain Jim Hood with STEDAIR®

- · Universal SCBA face opening
- Arc Thermal Performance Value rating of 34
- STEDAIR® PREVENT reduces exposure to carcinogens
- · Outer layer of Spentex
- Provided 99.9% filtration efficiency for 0.1-1.0 microns
- · Superior air permeability of at least
- 21.0 TPP as received, 27.5 TPP after 5 washes
- THL of 439

ITEM#

\$226.65/EA **HCJSTNBFHOS**

Fire Dex

H41 Interceptor Hood with Nomex®

- · Protects against smoke and particles and potentially harmful carcinogens up to 4x better than classic hoods
- Wicking and airflow regulate your temperature
- Inner layer of DuPont™ Nomex® Nano Flex laminated between two layers of 6.0oz PBI®/Lenzing (20%/80%)
- TPP of 37.5
- THL of 388
- Certified to NFPA 1971

ITEM#

PRICE

H41L1NBFHOS \$168.25/EA

Fire Dex

H41 Interceptor Hood with STEDAIR®

- Blocks 99.9% of persistent fireground carcinogens, ranging from 0.1-1.0 microns, even after 100 washes
- · Superior air permeability of at least 10cfm(as tested to ASTM DS37)
- STEDAIR® PREVENT features barrier technology
- Outer layer of 8oz Nomex®/Lenzing (20%/80%)
- TPP of 21.0
- THL of 445.2
- Certified to NFPA 1971

ITEM #

PRICE

FDX-H41LPNBFHOS

\$149.00/EA



PRICE



ReTrak® Integrated Visor

With a large area of protection, this fully integrated visor slides seamlessly into the helmet for easy stowing.

Accomodates eyewear and features a comfort nosepiece and easy cleanability. Meets requirements of ANSI/ISEA Z87.1, Standard for Eye and Face Protection



NFPA-Certified Bourke Eye Shield

Flip these eye shields up or down smoothly with one-hand. Bourke Eye Shields offer convenience and versatile protection with a large lens design.





PX Series Fire Helmet with Visor

- Thermoplastic outer shell offers the ultimate impact and penetration resistance
- M-PACT Plus Molded Inner Liner System protects against heat rise
- Nomex® ear cover
- · Sure-Lock® ratchet headband with comfort brow pad
- Scotchlite® reflective markings retains reflectivity to 500° F (260° C)
- Stainless steel D-ring for hanging helmet
- Balanced 6-point nylon crown straps and crown pad
- Certified to NFPA 1971-2018 standard
- Available in black, red, white, yellow, blue, orange, lime-yellow

ITEM #	FACESHIELD	PRICE
PXS(color)R350	ReTrak®	\$346.00/EA
PXS(color)	4" Flip Up	\$331.55/EA





Light Weight UST Fire Helmet with Visor

- Fiberglass composite shell provides up to 10oz in weight reduction without compromising protection
- Molded nylon inner liner with polyurethane foam thermal barrier provides impact protection and resistance to internal heat rise
- U-Fit headband system, 36 different adjustment settings
- Nomex® ear cover
- Custom leather front
- Meets and exceeds NFPA 1971, Standard on Protective Ensemble for Structural Firefighting and Proximity Firefighting, Pertaining to Structural Fire Helmets
- Available in black, red, white, yellow, blue, green, orange

ITEM #	FACESHIELD	PRICE
ULW6(color)R350	ReTrak®	\$375.00/EA
ULW6BRK(color)	Bourkes	\$360.45/EA
UL6(color)	4" Flip Up	\$375.00/EA



All Bullard Helmets Available with TrakLite



- Eight bright white LEDs behind a heat-resistant glass
- Bright blue "buddy indicator" light on the rear of the helmet
- Long battery life powered by four AAA alkaline batteries



FX Series Fire Helmet with Visor

- The U-Fit customizable suspension along with the ratchet headband provides custom fitment
- Easily removable cotton ratchet cover, brow pad and ear/neck protector for cleanability and decontamination
- Soft black Nomex chinstrap features one-hand quick-release buckle and postman slide for quick removal and adjustment
- Replaceable and washable Ear Neck Protector with a rip-stop Nomex outer shell backed with three layers of FR cotton flannel for comfort and protection
- Exceeds the NFPA 1971, Standard on Protective
 Ensemble for Structural Fire Fighting and Proximity Fire
 Fighting, Pertaining to Structural Fire Helmets and special
 performance criteria established by the United States Navy
- Available in black, red, white, pink, yellow, blue, orange, lime-yellow, green

ITEM #	FACESHIELD	PRICE
FXS(color)R35	ReTrak®	\$344.50/EA
FXS(color)	4" Flip Up	\$314.55/EA







Fusion Pro Structural Fire Fighting Glove

- 8-layer flexible knuckle guard system
- Certified Porelle® PTFE moisture barrier
- NFPA 1971-2018 Certified

ITEM #	SIZES	PRICE
PT8SC(size)	XS-2XL	\$86.75/PR
PT8LC(size)	XS-3XL	\$99.15/PR
PT8SC(size)C	XS-3XL	\$91.75/PR
PT8LC(size)C	XS-3XL	\$87.00/PR





Titan 8 Pro Structural Fire Fighting

- Made from 100% water-resistant, FR treated goatskin
- Liner is 100% knitted Nomex® and Kevlar®
- Cadet sizes and long or short cuff options
- Certified Porelle® PTFE moisture barrier
- NFPA 1971-2018 Certified

ITEM #	SIZES	PRICE
PT8TNSC(size)	XS-2XL	\$127.30/PR
PT8TNLC(size)	XS-3XL	\$137.95/PR
PT8TNLSCCADET(size)C	XS-3XL	\$89.50/PR



800 343 1354 9





Vision Glove, Short Cuff

- · Water buffalo-hide shell is water resistant
- · Glow in the dark / Hi-Vis rescue bands and reflective strips
- 8 layer knuckle guard and high burst Kevlar thread
- Triple-certified** Porelle® PFTE moisture barrier
- NFPA 1971-2018 Certified

ITEM #	SIZES	PRICE
PT8VSC(size)	XS-3XL	\$66.70/PR







- Flexible Kevlar and Nomex sidewalls • 8 layer knuckle guard system
- · Long or short cuff styles & cadet sizes available
- Certified Porelle® PTFE moisture barrier
- NFPA 1971-2018 Certified

ITEM #	SIZES	PRICE
PT8TNKSC(size)	XS-3XL	\$129.95/PR
PT8TNKLC(size)	XS-3XL	\$129.95/PR
PT8TNKSCCADET(size)	XS-3XL	\$119.50/PR



Fire Dex **Dex-Pro Glove**

- · 360-degree range of motion with keystone thumb
- Reinforced knuckle and palm guards
- · Provides nearly 4 times the NFPA requirement for heat protection
- · Certified to NFPA 1971

ITEM #	SIZES	WRIST	PRICE	
G2N(size)	SM-XL	Knit	\$133.90/PR	
G2L(size)	SM-XL	Gauntlet	\$145.00/PR	



Fire Dex **Dex-Rescue Glove**

- · Top Grain Cowhide for maximum dexterity
- Pig leather to amplify performance in both wet and dry conditions
- · Goat skin leather to use mobile device with index finger and thumb
- · Keystone thumb design with 360-degree range of motion
- · Tactically designed seamless fingertips for increased dexterity
- · Certified to NFPA 1951, highest industry standards by scoring A8 for cut, Level 5 for abrasion, and Level 4 for puncture

ITEM #	SIZES	PRICE
GR51	XS-2XL	\$140.30/PR





Structural Firefighting Gloves 2018 Edition

- · Outer shell made of premium Italian top grain cow and swine hide
- · Excellent cut resistance
- Unequaled wet grip strength
- Remains soft / pliable after repeated use
- · Glove conforms and takes on unique hand signature
- TPP rating of greater than 60
- NFPA 1871, 2018 Edition Certified

ITEM #	SIZES	PRICE
DF-X2GLOVE-G-(size)	2XS - 4XL	\$98.15/PR



Extrication Gloves 2nd Generation

- Heavy duty vapor/BBP barrier
- · Kovenex fabric
- Double stitched high dexterity shell and Hi-Vis reflective markings
- The palm and knuckle areas are constructed using premium synthetic leather and strategically placed wear pads

ITEM #	SIZES	PRICE
DF-FD2-(size)	XS - 2XL	\$41.95/PR



NEXT Generation BBP Rescue Glove

- · Thermal and flash protection not found in any other rescue glove
- Form fitting, impact protected knuckles
- The palm is comprised of premium synthetic leather and strategically placed wear pads
- Finished with a double stitched high dexterity shell, high visibility retro-reflective markings, thermal liner, and pathogen barrier

ITEM #	SIZES	PRICE
DF-BBP2-(size)	2XS - 2XL	\$58.35/PR



The Flame Glove

- Kevlar® and Nomex® offers high levels of puncture and cut protection
- · Wash and dry with turnout gear without shrinking, or stretching
- · Lifetime guarantee on Porelle® FR moisture barrier and liner
- PFAS Free
- NFPA tests prove that the back of glove provides over twice the minimum level of radiant heat protection required
- Meets FED OSHA 1910.156 (e)(4) and Cal/OSHA Title 8 Section 3407
- Non-leather, all-fabric glove compliant to NFPA 1971, 2018 Edition

ITEM #	SIZES	PRICE
FC1000(size)	XS - 2XL	\$118.00/PR















Eagle Air Leather Fire Boot

- European bullhide leather, and waterproof CROSSTECH® technology
- · Composite toe cap
- · Highly slip resistant sole with steel puncture plate
- With every step you take, moist air is released and fresh air comes in
- Certified to ASTM F 2413, CAN/CSA-Z195, NFPA 1971, NFPA 1992

ITEM #	WIDTH	SIZES	PRICE
507502(size)	Narrow	6, 10.5	\$498.20/PR
507502(size)	Medium	4 - 16	\$498.20/PR
507502(size)W	Wide	4 - 16	\$498.20/PR











Fire Hunter® USA Leather Firefighting Boots

- · Max protection certified for firefighting and highest level of puncture resistance
- CROSSTECH® lining is waterproof, while also protecting from chemicals
- · Micro Soft Light foam in the sole offers shock absorption and insulation
- Steel toe box and puncture plate
- Certification: NFPA 1971, NFPA 1992, ASTM F 2413, CAN/CSA-Z195

ITEM #	WIDTH	SIZES	PRICE
502004(size)	Medium	5 - 16	\$450.20/PR
502004(size)W	Wide	5 - 16	\$450.20/PR







DOES MY BOOT FIT?

Your boot size may not match your shoe size. Go for something snug, not tight, and keep in mind that most boots need to be broken in. This process should take a couple weeks, provided the boots are worn for a few hours everyday. All three sides of the boot should touch your heel. Give yourself enough room to wiggle your toes, this will help prevent blisters and calluses.







Airpower® R2 Leather Fire Rescue Boots

- · Slip resistant sole won't disintegrate from oil and chemicals
- . HAIX® Secura Liner® will never pull out of the boot or wrinkle
- CROSSTECH® technology in your Airpower R2's inner lining keeps boot waterproof, in addition to protection from potentially hazardous fluids and chemicals
- HAIX® Climate System vents moist air and brings in fresh air with every step
- · Built in steel toe
- Certification: ASTM F 2413, CAN/CSA-Z195, NFPA 1999

ITEM #	WIDTH	SIZES	PRICE
605109(size)	Medium	4.5 - 15	\$382.35/PR
605109(size)W	Wide	4.5 - 15	\$382.35/PR
605109(size)EW	Extra Wide	6 - 14.5	\$382.35/PR





Tactical 2.0 Side Zipper

- · HAIX Absorption supportive cushioning, athletic shoe feel
- Non-slip, shock absorbing, non-marking, fuel, oil, and heat resistant sole
- · Tread is naturally releasing caked on mud as you walk
- Waterproof GORE-TEX
- · Side zipper for quick donning and pre-lacing
- · Vents moisture and pulls in fresh air with every step

 ITEM #	WIDTH	SIZES	PRICE
340021(size)	Medium	4 - 16	\$209.00/PR
340021(size)W	Wide	4 - 16	\$209.00/PR





Code Red Composite Toe 14" Fire Boots

- · Vibram 148 Fire and Ice Compound Outsole
- Terra Suspension Footbed provides support and cushioning
- · Triple stitched construction, side stitched rubber outsole
- · Fiberglass shank, composite toe
- 3M[™] Scotchlite fire resistant reflective material
- · Bloodborne pathogen resistant
- Reduce injuries with Roll-Stop Ankle Stability™
- · Fire Resistant Leather and Nomex Fire Resistant Stitching
- ASTM F2413 protective toe classification, ASTM F2413 electrical hazard standard, ASTM F2413 puncture resistant standards
- NFPA 1971

ITEM #	GENDER	WIDTH	SIZES	PRICE	
RKD0087(size)	Men's	Medium	5.5 - 13	\$276.00/PR	
RKD0087W(size)	Men's	Wide	7 - 13	\$276.00/PR	
RKD0087EW(size)	Men's	Extra Wide	7 - 13.5	\$276.00/PR	
RKD0092M(size)	Women's	Medium	5 - 10	\$276.00/PR	










800 343 1354 **1**





16" Rubber Fire Fighter Boot



- Molded rubber K-Lug outsole
- · Boots feature Comfort Fit technology with Ortholite® that is breathable, long lasting, and durable
- · Below Ortholite® footbed is high density polyurethane upper midsole and coated felt lower midsole for cushioning
- NFPA 1971 2018: Edition Standard for structural fire fighting. NFPA - 1992 - 2018: Liquid splash. CSA - Z195 - 92: Protective footwear

A
עי יש

ITEM #	WIDTH	SIZES	PRICE
6909451(size)	Medium	3 - 16	\$219.99/PR
6909451W(size)	Wide	5 - 16	\$219.99/PR
6909451XW(size)	Extra Wide	8 - 15	\$219.99/PR





Side Zip Waterproof Tactical




- · Heel comfort pods, anatomically positioned to secure the ankle
- · Generous multi-fit allows for customizable comfort
- · Polishable toe
- Fiberglass shank offers support and torsional rigidity
- Durable rubber outsole delivers slip resistant traction for any
- · Composite safety toe meets ASTM 2413-17 EH standard
- Approved by the American Podiatric Medical Association
- Meets ASTM 2413-18 EH

ITEM #	HEIGHT	SIZES	PRICE
BOPS6002(size)	6"	7 - 14	\$129.99/PR
BOPS8002(size)	8"	7 - 15	\$129.99/PR





X2 14" Leather Fire Fighter Boot





- Double ridged steel shank
- · Genuine fire-retardant leather and fusion fabric to provide ultimate durable protection
- CROSSTECH® waterproof membrane
- · No liner pull-out design
- 3 point heel locking system
- · Comfort fit plus-with ORTHOLITE® removable footbed
- Half sizes available in 5, 8, 9, 10, and 11
- Compliant with: NFPA1971-2018 Edition, NFPA1992-2018 Edition, NFPA1999-2018 Edition

ITEM #	SIZES	PRICE
0912(size)	5 - 15	\$432.95/PR









Fire Dex

NFPA Rubber Boot

- · Wide integrated handles, reinforced with an extra layer of leather
- Reduce injuries with a puncture and corrosion-resistant steel toe
- Kick off using a heavy-duty ribbed rubber heel
- · Quality Nitrile rubber
- · Reflective strip
- Lug outsole, steel shank
- Certified to NFPA 1971

 ITEM #	WIDTH	SIZES	PRICE
FDXR100(size)	Medium	4 - 14	\$210.00/PR
FDXR100(size)W	Wide	8 - 14	\$210.00/PR



Fire Dex

Leather Structural Fire

- · Integrated handles reinforced with an extra layer of leather
- Ankle flex points increase range of motion
- Bright, reflective 3M[™] Scotchlite[™] trim
- · Composite toe cap
- · Flame Stop Leather and shaft thermal barrier
- GORE CROSSTECH® Liner
- VIBRAM® Fire and Ice
- Certified to NFPA 1971 & 1992

 ITEM #	WIDTH	SIZES	PRICE
FDXL200(size)	Medium	4 - 16	\$463.75/PR
FDXL200(size)W	Wide	6 - 16	\$463.75/PR
FDXL200(size)XW	Extra Wide	8 - 14	\$463.75/PR



Fire Dex FDXL90 Rescue Boots

• Made from Gore-Tex CROSSTECH®, Armor AP™ and Flame Stop Leather for superb breathability, durability, and flexibility

- · Quickly don and doff in-between calls with a side zipper
- Exceeds Gore whole boot breathability requirements by 175%
- Exceeds NFPA puncture requirements by 4 times the minimum
- · Composite toe cap
- · Nano-print boot insert
- LENZI® Puncture Resistant Barrier
- Exclusive Vibram® Fire & Ice Sole
- Steel stability shank
- Certified to NFPA 1951 & 1999

ITEM #	WIDTH	SIZES	PRICE
FDXL90(size)	Medium	4 - 16	\$350.00/PR
FDXL90W(size)	Wide	4 - 16	\$350.00/PR
FDXL90EW(size)	Extra Wide	4 - 16	\$350.00/PR





EROFLEX[™]

A NEW ERA OF TURNOUTS

Coat Features

- 2-piece collar with a snap tab, ensuring the zip-in liner hangs evenly
- OmniDex[™] shoulder designed for optimal flexibility and minimal coat rise
- 9" of ease at the chest for optimum amount of air gap to maximize THL & TPP
- Breathable VaporLite[™] panels running down the
- AeroVent[™] placed along the armpits promoting optimal cooling
- · Open inspection port located along bottom hem

Pants Features

- · Optimized leg opening for ease of donning and
- VaporLite[™] panels located at inner thighs and behind knees allow sweat to evaporate more efficiently
- AeroVent™ located at inner thighs, facilitating airflow and promoting optimal cooling
- 3D flex panels in the knee allow for a free range of motion with hinge points incorporated into knee padding



Vapor-Lite™ Panels



Materials must allow moisture vapors to escape



SWEAT EVAPORATIONSupports core temperature

regulation



Draws sweat away from the skin and disperses it to support evaporation



OF ANY COMPOSITE



- Breathable 3-layer composite system that targets the areas of your body where heat becomes most encapsulated: side seams, armpits, inner thighs, and behind the knees
- VaporLite[™] Panels allow sweat to evaporate more efficiently, built exclusively with the TECGEN71® outer shell, CoreCXP™ 1-layer thermal liner, and your choice of either CROSSTECH® Black or STEDAIR® 4000 moisture barrier
- AeroVent[™] Technology utilizes a one-way ventilation design, allowing sweat vapor to escape without letting in
- Vents feature particulate-blocking technology
- · Activity increases air circulation within the garment





away from the body



We Not Only Supply Apparel & Gear, We Can Custom Embroider & Silk **Screen Them Too!**

- High Quality Embroidery and Silk Screening
- In-house Logo Digitizing
- Nomex Thread for FR Clothing Available
- Uniform Programs
- Short Lead Times
- Logo'd Shirts, Jackets
- Logo'd Safety Vests, Apparel and Gear

All of the Above Items and MUCH MORE!



Men's Tactical Job Fleece 3.0

- · Ultra-Soft, mid-weight cotton-blend fleece
- · Brushed interior for extra warmth
- · Woven overlays at elbows for added durability
- · Open hand pockets & chest pocket with interior hook & loop attachment points
- · Pen pocket on left sleeve & radio clip on shoulder seam
- · Designed exclusively for first responder station wear
- *Free embroidery on left chest for orders of 12 or more

ITEM #	SIZES	PRICE
UAMTACFNVY(size)	XSM - 5XL	\$64.99/EA

Free Embroidery Of Your Company's Logo or Name*

FXR CUSTOM TURNOUTS


















Call 1-800-343-1354 to Request a Quote









Type 3 Flotation Bomber Jacket

- · Solid colors for public safety use
- Extra-rugged rip-stop nylon shoulders
- Foam-lined hood fleece hand-warmer pockets, neoprene-lined cuffs
- Hook & loop name badge patch on left shoulder
- Lash tap on right shoulder
- SOLAS tape for added visibility
- · Reinforced elbows & cuffs
- · Articulated arm design
- Hi-Vis yellow

ITEM #	SIZES	PRICE
AB1100HV(size)	SM - 2XL	\$360.00/EA





Flotation Coat

- 3D articulated sleeve design
- Thermo lined stowaway hood
- Handwarmer pockets
- SOLAS reflective tape on shoulders, wrists, and cuffs
- · Fleece-lined collar
- Waterproof internal barrier
- Rugged reinforced elbows & cuffs

ITEM #	SIZE	COLOR	PRICE
AC1100RB(size)	SM - 3XL	Red/Black	\$400.00/EA
AC1100OG(size)	SM - 2XL	Orange/Gray	\$400.00/EA
AC1100HV(size)	SM - 2XL	Hi-Vis Yellow	\$400.00/EA





Flotation Bib Pants

- · Foam-lined bib pants
- · Optimum comfort
- 3D articulated knee pad design
- Vertical zips at boot entry
- · Zippered thigh & breast pocket
- · 2-way center zip
- · Boot cinch zip
- Waist adjustment
- Ultra soft foam
- · Waterproof internal barrier
- Rugged reinforced butt, knees & cuffs

PRICE

\$350.00/EA

AS1100RB(size)

Nylon-lined

SIZES

SM - 3XL





Ergo Type 5 Vest

- Over 40 lbs of buoyancy
- Neoprene collar
- Zippered closed cell cover
- 3-D foam molded back lining
- Mic loops on both lobes
- Ultra strong 2" nylon webbing waist belt
- · Zippered accessory pocket
- Internal C02 bottle stow pocket
- Automatic inflation only
- Universal size

ITEM #	COLOR	PRICE
FW40PROABK	Black	\$300.00/EA
FW40PROAGN	Green	\$300.00/EA
FW40PROAHV	Hi-Vis Yellow	\$300.00/EA



Flotation Suit

ITEM #

AP1100BK(size)

- · Head-support pillow
- · Fleece lined collar
- Stowaway hood
- SOLAS tape on hood, shoulders & wrists
- Hand-warmer pockets
- Neoprene inner cuff strap clincher
- Cordura® reinforced knees, butt, elbows & cuffs
- Internal suspenders
- · Vertical side boot entry zips
- · Napoleon easy entry pockets





SM - 2XL

800 343 1354 **2**

\$700.00/EA

Red/Black







Water Helmet

- Hi-impact ABS shell
- Accessory side rails and NVG/Go Pro mounting bracket
- 9 ventilation vents
- · Closed-cell EVA molded foam liner for comfort and safety
- Ratchet easy-fit system
- Chin cup webbed strap adjusts to fit
- Removable foam ear protection pads

ITEM #	SIZE	COLOR	PRICE
FWBHHV(size)	SM - XL	Hi-Vis Yellow	\$94.50/EA
FWBHBK(size)	SM - XL	Black	\$94.50/EA
FWBHGN(size)	SM - XL	OD Green	\$94.50/EA
FWBHRD(size)	SM - XL	Red	\$94.50/EA
FWBHWH(size)	SM - XL	White	\$94.50/EA







Backboard Flotation System

- Same Materials used in FirstWatch USCG inflatable life jackets
- The inflatable collar keeps the backboard stable and above water
- 8 Durable hook loop straps attach evenly to any backboard
- Two manual 60g inflatable rearming packs provide 80 lbs of buoyancy
- The deflated collar folds up for easy storage and transportation
- Grab Handles on sides
- Quick-release connection loops disengage quickly from board

ITEM #	PRICE
BFS600	\$600.00/EA







Heavy Duty Polyester Gear Bag

- Mesh lower ventilation panels
- Easy access U-shaped main compartment end pocket make keeping your gear organized easy
- Integrated mesh for airflow
- · Heavy duty webbing handles, shoulder strap and handle
- 37" x 20" x 17.5"



ITEM# PRICE
FWGBRB \$165.00/EA



AK-1000 Dog Vest

- Specially designed to support the dog's torso and chest in the water
- The vest adapts to dog's neck length and body shape
- A Suspension system supports the body and neck during lifting action
- · Reflective SOLAS tape and piping provide extra safety at night
- Easy to wash, quick-dry construction

ITEM #	SIZES	PRICE
AK1000HV(size)	XS - XL	\$58.00/EA





800 343 1354 23









FirePRO™ 200

- 200 x 150 Resolution
- \bullet 27° x 35° Field of View
- Capture Images
- Mixed Gain Mode with SV1
- > 25 Hz Frame rate

ITEM# PRICE

FWAAAX \$799.00/EA





Seek

FirePRO™ 300

- 320 x 240 Resolution
- \bullet 42° x 57° Field of View
- Capture Images and Videos
- Mixed Gain Mode with SV1
- > 25 Hz Frame rate

 ITEM #
 PRICE

 FQAAAX
 \$1,199.00/EA





AttackPRO™ Fast Frame

- Mixed-Gain pixel technology allows for detailed renders rather than silhouettes shown in other thermal cameras
- 76,800 temperature pixels for maximum image clarity and sensitivity
- Waterproof design
- · Durable and reliable design built with IP67 rating
- > 6 hours of battery life, rechargeable
- Equip the entire department with the first affordable decision making TIC
- 300 lumen LED flashlight available at the touch of a button
- · Execute 360 size-ups & overhaul faster





ITEM # PRICE

FQPAEX \$2,999.00/EA

- 320 x 240 Resolution
- 57° x 42° Field of View
- Mixed Gain Mode with SV1
- > 25 Hz Frame Rate
- -20°C to 550°C Detection Range



ITEM # PRICE

FQPAVX \$3,499.00/EA

- 320 x 240 Resolution
- 57° x 42° Field of View
- Mixed Gain Mode with SV1
- > 25 Hz Frame Rate
- •-20°C to 650°C Detection Range
- Video Recording
- Survey Mode



ITEM #

FQPANX \$3,999.00/EA

PRICE

- 320 x 240 Resolution
- 57° x 42° Field of View
- Mixed Gain Mode with SV1
- > 25 Hz Frame Rate
- -20°C to 550°C Detection Range
- NFPA 1801-2021 Certified



AttackPRO™ Truck Charger

- Includes: Truck Charger unit, Power supply (for AC power), AC plugs for US, EU, and UK (for power supply), Accessory Kit: Fuse holder/fuse, self-tapping mounting fastener (3x), 12/24VDC terminal connector, feet for desktop/table use (4x), Quick Start Guide
- Supply voltage 12VDC
- Power rating 24W
- Dimensions 10" x 9.1" x 5"
- Weight 2lbs (0.9kg)
- Charge Time (Battery) < 6 Hours
- Charge Time (Camera) < 6 Hours

 ITEM #
 PRICE

 FDPAA
 \$799.00/EA



MIXED GAIN MODE

Observe high-detail in both the hottest and coolest areas of a scene at the same time



800 343 1354 2















04 Series - Single Gas Monitors

- Continuously operate for over one year (H2S & CO)
- Toxic gases include: NH3, Cl2, HCN, NO2, PH3 & SO2
- CO with H2 elimination
- CO & O2 Dual Sensor
- Field serviceable
- Pocket size 2.1"(W) x 2.6"(H) x 0.9"(D), 2.8 ounces
- Impact, dust, and water resistant (IP-67)
- Replaceable rubber boot
- Alligator clip with 360° rotation
- Audible / visual / vibration alarms
- Automatic backlight
- Intrinsically safe, ATEX and C / US approvals
- 3 Year warranty*

ITEM #	APPLICATION	PRICE
720018	Oxygen	\$196.60/EA
730065	Crabon Monoxide	\$189.00/EA
730063	Hydrogen Sulfide	\$196.60/EA
730069	Carbon Monoxide and Oxygen	\$449.00/EA







GX-3R Confined Space 4 Gas Monitor

- · Weighs only 3.52 oz
- 2.2" W x 2.55" H x 1.02" D
- Simultaneous detection of 4 gases: LEL, O2, H2S & CO
- · Simple 2-button operation
- · Audible, visual, and vibration alarms

ITEM #	PRICE
72RAC	\$729.00/EA



450 Multi-Gas Meter Detector

- · In confined spaces, detector will monitor LEL combustible gas, oxygen, H2S, and CO
- · Designed with user friendliness in mind
- · Fully automatic calibration system
- The device has a battery life of up to 25 hours of continuous operation, Powered by 2
 AA batteries, and when placed in the drop in cradle, the rechargeable battery packs
 can be fully recharged in less than 4 hours
- The triple alarm system features a loud audible alarm of 103dB, a vibrating alarm, and bright 360 wrap around LEDs with a colored backlit display for visual alarms
- · Encased in a dust proof and highly water resistant housing
- The datalogger records and internally stores all activity and environmental conditions
- · Comes standard with a calibration adapter, a training manual, and a training DVD

ITEM #	PRICE
G45011440	\$1,223.65/EA





Docking Station for G450 Series

- · Fully automatic functional bump test and calibration
- · Automatic test of alarms, charging and record keeping
- Simple pass / fail indication
- · Saves last calibration and bump test records in detecto

ITEM #	PRICE
1450401R	\$3,195.00/EA

Calibration Gas

ITEM #	PRICE
90099916	\$245.00/EA



800 343 1354 27





STREMUGHT.

Portable Scene Light II



- 360 degree swivel
- · IPX7-rated; waterproof to 1m for 30 minutes
- · Hooked feet for hanging
- 11 hour runtime, Lithium Ion battery or indefinite run time with AC/DC power
- · Limited Lifetime Warranty

ITEM #	PRICE
4600LIGHT	\$737.30/EA



STREMUGHT.

BearTrap® Multi-Function Work Light

- 2,000 lumens
- · Spot and flood modes
- Rechargeable, even during
- Clamps virtually anywhere
- Magnetic base to increase options
- 120V/100V AC
- · Limited Lifetime Warranty

ITEM #	PRICE
6152051	\$158.30/E/



Rechargeable LED Portable Scene Light 86" EXT











PolyTac® Tactical Light Helmet Lighting Kit

- · C4 LED technology, impervious to shock with a 50,000 hour lifetime
- Kit includes PolyTac® flashlight with CR123A lithium batteries, steel helmet mount, & rubber helmet strap
- IPX7 waterproof to 1 meter for 30 minutes; 3m impact resistance tested
- Meets requirements of NFPA 1971-8.6 (2007)

ITEM #	PRICE
88854	\$86.45/EA





PolyTac® 90 Flashlight

- · Compact right angle flashlight with bright C4® LED technology
- 5.2" long and made of high impact super tough nylon polymer for exceptional durability and a sure grip
- High and low intensity modes, strobe mode and a carabiner style D-ring for a variety of attachments
- · IPX7 rated, waterproof to 1 meter for 30 minutes

ITEM #	PRICE
88831	\$82.85/EA





Survivor® X **Right Angle LED Light**

- · Limited Lifetime Warranty
- · High, low, and emergency flash
- · Rechargeable lithium ion battery
- Flashlight meets 500°F requirements of NFPA 1971-8.6 (2013)
- · Charger meets requirements of NFPA 1901- 14.1.10.2 (2016) mounted in any position

ITEM# PRICE

> STRM90522 \$189.95/EA





Vantage II LED Tactical Helmet Light

- · Attaches/detaches above or below brim of fire helmets
- High Mode: 350 lumens; 118m beam; runs 2.25 hours
- Low Mode: 135 lumens; 80m beam; runs 5 hours
- . Blue taillight LED to be seen from behind
- Swivel clamp to optimize beam location
- Meets requirements of NFPA 1971-8.6 (2013)

ITEM #	PRICE
69331	\$109.35/EA







From Milwaukee Tool, Genesis Rescue, and more



M18 FUEL™ Chainsaw

- POWERSTATE™ Brushless Motor provides the power and performance of a gas engine up to 40CC.
- REDLINK PLUS™ Intelligence for optimal performance and overload protection during heavy applications
- REDLITHIUM™ High Output HD12.0 Battery Pack and superior pack protection
- · Variable speed trigger
- Dual-stud for improved bar and chain retention
- Automatic oiler for proper chain lubrication

ITEM #	LENGTH	PRICE
272720	16"	\$329.00/EA
272720C	14"	\$319.00/EA





MX Fuel™ 14" Cut-Off Saw

- · Push button start and zero emissions
- MX FUEL™ REDLITHIUM™ batteries
- · Cuts concrete, rebar and ductile iron
- · Wet cutting
- · Equipment and Battery Warranty: 2 Year
- Includes: 1 Contractor Bag, 1 Hex Key, 1 MX FUEL™ 14" CUT-OFF SAW, 2 MX FUEL™ REDLITHIUM™ XC406 BATTERY PACK (MXFXC406), 1 Quick Connect Collar, 1 Wrench, 1 MX FUEL™ CHARGER (MXFC)





M18 REDLITHIUM™ XC6.0 Battery Pack, 2 Pack

- REDLINK™ Intelligence: Provides optimized performance and overload protection using total system communication between tool, battery and charger
- Best-in-class construction
- Fuel gauge onboard: Displays remaining run-time
- Provides 50% more power and runs 50% cooler vs M18™ REDLITHIUM™ XC battery packs
- Powers more than 150 M18[™] cordless solutions

ITEM #	PRICE
48111862	\$279.00/EA





800 343 1354 31





M18 FUEL™ 9" Cut-Off Saw w/ ONE-KEY™

- Power to cut reinforced concrete
- ONE-KEY[™] Compatible: Ability to customize, track and manage tools for increased productivity and investment protection
- · Onboard Water Connection: Quick Connect
- Cut Depth: 3.4"
- Blade Diameter: 9"
- Blade Arbor: 7/8"
- Load indicator light
- Weight (Bare Tool): 10.6 lbs
- RAPIDSTOP Blade Brake
- · Fully adjustable guard

1TEM # PRICE 278620 \$599.00/EA



M18 Fuel Sawzall Reciprocating Saw

- 1-1/4" stroke length
- · Adjustable shoe extends the life of the blade
- · Illuminates the work surface while cutting
- QUIK-LOK™ Blade Clamp for fast blade changes
- POWERSTATE™ Brushless Motor: Increased cutting speed and power through the toughest applications
- REDLINK™ Plus Intelligence
- Anti-corrosion blade clamp
- Metal reinforced battery connection

 ITEM #
 PRICE

 282120
 \$199.00/EA



M18[™] Cordless 4-1/2" Cut-off / Grinder

- Milwaukee® 4-Pole Motor
- Overload Protection Prevents damage to the tool and battery in abusive situations
- · L-shape vents keep debris from entering the tool
- Tool Free, Burst Resistant Guard Allows for quick, easy guard adjustments
- Paddle Switch Design The only cordless cut-off/ grinder in the market with a paddle switch design
- · 3 Position side handle

ITEM #	PRICE
268020	\$129.00/EA





GENESIS

SC198-SLi Cutter

- Cutting Opening: 6.9", 175mm
- NFPA Cut Rating: A7-B8-C6-D8-E9-F4

ITEM#

PRICE

1101548GRS

\$15,834.00/EA



SC240-SLi Cutter

- Cutting Opening: 7.3", 185mm
- NFPA Cut Rating: A8-B9-C7-D9-E9-F4

ITEM #

PRICE

1101550GRS

\$15,778.00/EA



SC385-SLi Cutter

- Cutting Opening: 7.9", 200mm
- NFPA Cut Rating: A9-B9-C9-D9-E9-F5

ITEM#

PRICE

1101551GRS

\$16,760.00/EA



F7-SLi Cutter

- Cutting Opening: 11.8", 300mm
- NFPA Cut Rating: A9-B9-C9-D9-E9-F7

ITEM#

PRICE

1101553GRS

\$23,250.00/EA







11C-RIT3 EFORCE Combination Tool

- Ideal tool for first responders, USAR teams, and tactical teams
- Lightweight
- Ergonomic design
- Non-proprietary battery power
- Spreading Width: 8.5", 215mm
- NFPA Cut Rating: A6-B7-C6-D7-E7

ITEM #

PRICE

GEN-ART.109.337.7

\$16,500.00/EA





15C-SL3 EFORCE Combination Tool

- Mid-range combination tool that balances size and performance
- Door Opening Tips, Brute Tips, or Tip Extensions can be attached
- Spreading Width:14.6", 370mm
- NFPA Cut Rating: A7-B8-C6-D8-E8-F5

ITEM #

PRICE

GEN-ART.109.664.9

\$18,255.50/EA





17C-SL3 EFORCE Combination Tool

- Largest removable tip combination tool in the line-up
- Offers 3 different tip designs, including Door Opening Tips, Brute Tips, and Tip Extensions
- Spreading Width: 15.9", 405mm
- NFPA Cut Rating: A7-B9-C7-D9-E9-F6

ITEM#

PRICE

GEN-ART.109.261.1

\$17,133.95/EA



C195-SL3 EFORCE NXTGEN

- The smaller cousin of the C236-SL3
- Equipped with NXTGEN replaceable blade inserts that allow for this cutter to cut UHSS and Boron more effectively
- Cutting Opening: 7.3", 185mm
- NFPA Cut Rating: A8-B9-C7-D9-F4

ITEM #

PRICE

ARTGENMBGENC

\$13,965.00/EA





C236-SL3 EFORCE NXTGEN

- Largest cutter in the NXTGEN family
- · Incredible power and ergonomics
- NXTGEN blade system to easily and quickly replace the sharp edge
- · Cutting Opening: 8.3", 210mm
- NFPA Cut Rating: A8-B9-C8-D9-E9-F4

ITEM #

PRICE

GEN-ART.109.351.4

\$14,310.00/EA





C365-SL3 ALL-9 EFORCE

- · The largest Genesis cutter
- Made with the toughest materials to cut in mind
- Cutting Opening: 10.2", 260mm
- NFPA Cut Rating: A9-B9-C9-D9-E9

ITEM#

PRICE

GEN-ART.109.636.3

\$15,575.00/EA



800 343 1354 35





S44-SL3 EFORCE

• The smallest EFORCE spreader

• Weight: 38.1lbs, 17.3kg

• Maximum Spreading Force: 11,700 lbf. or 52kN

• Spreading Width: 24", 610mm

ITEM # PRICE

GEN-ART.109.370.3 \$13,825.00/EA





S49-SL3 EFORCE Spreader

• Mid-range spreader

• Weight: 45.6lbs, 20.7kg

• Maximum Spreading Force: 17,100 lbf. or 76kN

• Spreading Width: 28.9", 735mm

ITEM # PRICE

GEN-ART.109.173.6 \$13,945.00/EA





S54-SL3 EFORCE Spreader

· Largest Genesis spreader

• Weight: 46.1 lbs, 20.9kg

Maximum Spreading Force: 15,300 lbf. or 68kN

• Spreading Width: 31.7", 805mm

ITEM # PRICE

GEN-ART.109.173.5 \$14,270.00/EA





31" Push Pull Ram

- Accepts all the attachments in the Genesis Slip-fit kit, allowing users to perform both pushing and pulling evolutions
- Nominal Pressure: 10,000 psi, 700 bar
- Weight with battery: 40.1 lbs, 18.2 kg
- · NFPA 1936 Compliant

ITEM # PRICE

GEN-ART.031.901.2

\$10,890.00/EA





EFORCE 22"-54" Telescopic Ram

- · Nonproprietary battery powered
- Extends into two stages
- Force Stage 1: 24,300 lbf
- Force Stage 2: 13,950 lbf
- Weight with battery: 44.3 lbs or 20.1kg

ITEM # PRICE

GEN-ART.107.834.2

\$12,240.00/EA





EFORCE 21"-36" Ram

- Single stage ram
- Allows users to attach Angle V-head attachments
- 25,021 lbs of push force
- · Battery powered
- Weight with battery: 34.6 lbs 15.7kg
- NFPA 1936 Compliant

ITEM # PRICE

GEN-ART.107.527.2

\$10,545.00/EA







Flathead Axe w/ Fiberglass Handle

- · Offers a large strike surface and balanced design
- · Contoured head can also be used as a wedge if necessary
- Durable shock absorbing foam, rigid fiberglass handle
- · Sanded knurl is embossed in lower part of handle to eliminate slipping

ITEM #	WEIGHT	PRICE
FA6	6 lbs.	\$69.50/EA
FA8	8 lbs.	\$129.30/EA



All Purpose Hook w / D-Handle, 40'

- All purpose hook
- Multitude of uses, from opening ceilings, walls, floors, moldings and casings to the rapid removal of wood, lath and plaster, tin and sheet metal, plasterboard, fiber board and sheetrock
- Specially tapered hook-head point, gas shutoff end, super strength fiberglass pole (electrically non-conductive), stainless steel wear sleeve, and celtex grips
- · Super strength fiberglass pole
- · Electronically non-conducive

ITEM #	PRICE	
APH40	\$74.45/EA	



Pro-Bar Halligan Type Entry Tool

- Multi-purpose prying tool
- · One piece, alloy steel construction
- Designed for maximum penetration and leverage
- · Available in multiple lengths
- · 2" ADZ width
- · Made in the USA

ITEM #	WEIGHT	PRICE
PROBAR24	24"	\$272.00/EA
PROBAR30	30"	\$294.00/EA
PROBAR36	36"	\$319.00/EA
PROBAR42	42"	\$349.00/EA











MP-1000 Extrication Blanket

- Protects your patient from debris, glass, as you work on getting them out from their crashed vehicle
- Can withstand temperatures of up to 1000F flash fires with maximum protection and is hand washable
- Comes in a Herculite Storage/ Carrying Pouch

ITEM #	PRICE	
91000	\$130.00/EA	



Cog Step Chock Combo

- Versatile first responder stabilization tool, offers a wedge and an incline to interlock together for maximum stability
- Simple design functions like a cog incline railroad
- When added height is needed, interlock the base with a Turtle Lock Block
- Dimensions:
 24 3/8"x 6 5/8"x 10 3/4"
- Weight: 10.8kg/24lbs
- Working Load: 1,701 kg/ 2,722 lbs without Cog | 3,750 kg/ 6,000 with Cog

ITEM # PRICE

SCCOG1 \$200.00/EA



Step Chock Standard Size

- Provides a convenient hand hold for easy use
- · Made with 100% recycled plastic
- The chocks are lightweight with very stable base dimensions
- Safer than wood and impervious to most fluids
- Dimensions: 25" x 5 1/2" x 11"
- · Weight: 17 lbs.

ITEM #	PRICE	
SCITURTLE	\$121.00/EA	





Quik-Kut Heavy Duty Pneumatic Air Hammer Kit

- Quik-Kut Heavy Duty Air Hammer
- 8", 11", and 18" Curved Flat Bits
- 11" (T) Panel & Dual Cutter Bits
- 18" Bullpoint & Flatface Bits
- 4500 psi regulator
- 20 ft. air supply hose, air tool oil

ITEM #	INCLUDES	PRICE
GEN-ART.89502	Kit	\$1,625.00/EA
GEN-ART.89406	Quick Hit Bag	\$140.00/EA

800 343 1354





Battery Backpack Power Unit

- Transforms an existing rescue tool into a battery powered work horse
- Can run on two Milwaukee 28v batteries or just one
- Maximizes run time by allowing two batteries to be connected simultaneously
- · Pump is equipped with power on demand
- Always know the fluid level with a bladder access window illuminated by LEDs

ITEM #	PRICE	
GEN-ART.108.182.8	\$11,010.00/EA	





Chains and Kits

- GEN_ART.70004 includes: 6 ft. of chain, J-Hook, Adjuster, and Grab Hook. Each Grab Hook comes with a swivel catch system that is able to lock in place as well, for maximum security. Total weight is 19 lbs
- GEN_ART.70006 includes: Pulling chain at 7 ft. in length, adjuster and grab hooks with twist and locking mechanisms to ensure that the hook will secure to any other chain you are attaching it to and it will not fall off

ITEM #	LENGTH	PRICE
GEN-ART.70004	6'	\$200.00/EA
GEN-ART.70006	7'	\$140.00/EA



Slope Evacuation Kit

Includes: 3 – 42" long/1" diameter pickets, 2 – 1" webbing/15' green, 2 – accessory picket windless, Picket Kit Bag, 2 – Anchor Strap, Small, 2 – Prusik Sewn Loop – 8mm – 18", 2 – Prusik Sewn Loop – 8mm – 25", 2 – 1" webbing/ 15' Red, 2 – 1" webbing/ 45' blue, 1 – 1" webbing/ 45' orange, 4 – ProSeries Locking Carabiner, 2 – PMP Swivel Pulley, 1 – 200' of 1/2" kernmantle rope, Slope Evac Kit Bag, Optional stokes basket







Motor Vehicle Fire Rescue Kit

- Includes all of the tools for efficient vehicle extrication
- A new patient shield made of a high-strength PCV and reflective markings, reducing the risk of injury from projectiles for both the patient and other rescuers. Can also be used as a barrier when using tools in confined spaces
- · High visibility carrying bag
- · Organized for quick access

ITEM # PRICE

GEN-ART.97000 \$1,235.00/EA



Kodiak Lifting Device

- Designed to easily attach to your existing Kodiak Struts within seconds to give rescue personnel lifting capacity
- Length open: 44.5" or 113cm
- Length closed: 30.5" or 77.5cm
- Weight: 15.5 lbs or 7kg
- Capacity: 5,000lbs or 2,267kg

ITEM # PRICE

ART500600KLD \$2,033.00/EA





Deluxe Kodiak Kit

• A-(2) Struts

ITEM #

- B-(2) 15" Extensions
- C-(2) 30" Extensions
- D-(4) Ratchet straps
- E-(2) End attachments
- F-(1) Carrying case

GEN-ART.500.102.2 \$2,855.00/EA

PRICE







A HOWELL RESCUE SUPPLY

Tri-Strut Kodiak Kit

- A-(3) Struts 27" 42"
- B-(3) 15" Extensions
- C-(3) 30" Extensions
- D-(6) Ratchet straps
- E-(3) End attachments
- F-(1) Carrying case

ITEM # PRICE

ART5001033 \$3,764.00/EA

800 343 1354





Beluga Glass Head Windshield Remover Kit

- Efficiently cuts through laminated glass commonly found in modern cars
- Fits standard drills
- Reduces amount and spread of glass dust, unlike a wind shield saw
- Kit comes with the glass head tool, carry bag, and safety glasses

ITEM #	PRICE
FS2214K	\$415.00/EA



Air Bags, 145psi

 Flat form design results in a substantial increase in surface area, meaning more stability when stacking bags

ITEM #	MAX LOAD	MAX LIFT	SIZE	PRICE
ARTHPK13	1 Ton	3.1"	6" x 6"	\$370.00/EA
GEN-HPK7.6	7 Ton	6.3"	12" x 12"	\$825.00/EA
GEN-HPK18.10	18 Ton	9.8"	18" x 18"	\$1,195.00/EA
GEN-HPK35.13	35 Ton	13.4"	24" x 24"	\$1,615.00/EA
ARTHPK617	61 Ton	6.7"	31" x 31"	\$3,285.00/EA



KURIYAMA

Viper Blue Devil Nozzle

- Easy grip volume adjustment ring allows operator to adjust volume of water stream in-field based on situation
- Patented Rylstatic® system provides amazing shield clarity with no "holes", as well as powerful straight stream with great reach that doesn't break up as early as other nozzle's
- · No spinning teeth to break
- Dual drive handle evenly distributes force, eliminating cockeyed handles and reducing instances of nozzle reaction
- · Dual seated ball valve provides stability and smooth operation
- Also suitable for foam

ITEM #	NATIONAL HOSE THREADING	PRICE
I218884BD3015	1.5"	\$595.00/EA
I219946BD12250	2.5"	\$825.00/EA



Viper Spartan Nozzle

- · Always provides maximum water flow when fully open
- Patented Rylstatic® system provides amazing shield clarity with no "holes", as well as powerful straight stream with great reach that doesn't break up as early as other nozzle's
- No spinning teeth to break
- Dual drive handle evenly distributes force, eliminating cockeyed handles and reducing instances of nozzle reaction
- · Dual seated ball valve provides stability and smooth operation
- · Available in standard and break-apart versions
- · Also suitable for foam

ITEM #	NATIONAL HOSE THREADING	PRICE
1219931010	1"	\$647.40/EA







Armtex HP Fire Hose



- Outstanding kink resistance for weaving through building interiors
- Specially formulated jacket compound withstands surface temperatures in excess of 1100°F for over one minute at 100 PSI
- Burst resistant; hose will not fully separate even with full puncture
- Low friction loss
- · Available in green, blue, red, yellow, and orange
- Meets or exceeds NFPA 1961 Standard on Fire Hoses
- 10 year warranty

ITEM #	CALL FOR OPTIONS
HP175(color)	1.800.343.1354



KURIYAMA

Armtex Attack Fire Hose

- · Lightweight for ease of use
- · High abrasion and kink resistance
- · Low friction loss
- Immune to mildew and rot
- Available in green, blue, red, yellow, orange, and white
- Meets or exceeds NFPA 1961 Standard on Fire Hoses
- 10 year warranty

ITEM #	CALL FOR OPTIONS
AA150(color)	1.800.343.1354



Double Jacket Conquest Fire Hose

- 100% high tenacity ring-spun polyester outer jacket covering an extruded thru-the-weave polyurethane inner hose, no adhesive used, and the liner will never delaminate
- Exclusive Dura-Cote™ treatment
- Hose remains flexible to temperatures as low as -40°F and meets all NFPA requirements for ozone resistance
- Available in green, blue, red, yellow, orange, white, and tan
- Manufactured in accordance with NFPA 1961 Standard, latest edition within our ISO-9001:2015 certified quality assurance system

ITEM #	CALL FOR OPTIONS	
40X(length)	1.800.343.1354	



SnapTite 8T Fire Hose

- Double jacket, municipal fire hose made from 100% high tensile strength ring-spun polyester yarn with thermoplastic polyurethane lining
- When treated, 8T is protected from mildew and no drying is required
- Remains flexible to temperatures as low as -40°F
- Available in green, blue, red, yellow, orange, white, and tan
- Polyurethane lining meets NSF/ANSI Standard 61 for drinking water and can be used as a hydrant or water main bypass in an emergency situation
- Manufactured in accordance with NFPA 1961 Standard, latest edition within our ISO-9001 certified quality assurance system

ITEM #	CALL FOR OPTIONS
8T17X50(color)	1.800.343.1354





HY-C∯NN


Pro Series Adaptor

- Patented connection technology that allows for rapid connections of hose to hydrant
- Each adapter is meticulously crafted from 6061/T651 billet aluminum, offering exceptional durability and resistance to wear and corrosion
- No flow or pressure reduction when compared to traditional attachment method
- Rated for 250 psi, pressure tested to 1,000 psi
- Made in America

ITEM #	INLET	OUTLET	PRICE
HP15NH15NH	1.5"	1.5"	\$257.00/EA
HP25NH15NH	2.5"	1.5"	\$546.00/EA
HP25NH25NH	2.5"	2.5"	\$546.00/EA
HP45NH4ST	4.5"	4.5" Storz	\$1,153.00/EA
HP45NH45NH	4.5"	4.5"	\$1,041.00/EA
HP45NH5ST	4.5"	5" Storz	\$1,191.00/EA

CONNECT HOSE TO HYDRANT IN 3 SECONDS

DISCONNECT IN 1 SECOND



800 343 1354 4!



From JustRite, Hazard Control Technologies, and Li-Fire



F-500 Encapsulater Agent

- Recommended for Class A, Class B (Polar + Non-polar), Class D, and Lithium-ion Battery fire hazards
- Encapsulates polar and non-polar fuels on a chemical molecular level, preventing re-ignition
- Rapid heat reduction helps to prevent scalding steam
- 15 year shelf life
- Does not contain any fluorinated active ingredients reportable under the Superfund Amendments, Re-authorization Act (SARA) Title III, Section 313, or Comprehensive Environmental Response Compensation Liability Act (CERCLA)
- *Geographic restrictions apply

ITEM #	CAPACITY	PRICE
F500250G	250 Gal.	\$8,008.00/EA
F500275G	275 Gal.	\$8,809.00/EA



Attacks all four legs of the Fire Tetrahedron simultaneously by separating fuel from oxygen, absorbing thermal energy up to 10x faster than plain water, and absorbing free radical energy, halting the chemical reaction that sustains flames.

The Correct Percentage of F-500 EA for all applicable Fire Types

	HAZARD	%	
Ī	Class A Materials	0.5% - 1%	
	Class B Fuels (Polar)	Ethanol, E10, E85, Acetone, Etc.	3%
	Class B Fuels (Non-Polar)	Gasoline, Diesel, Jet Fuel, Hydraulic Oil, Etc.	3%
	Class D Metals	Magnesium, Titanium, Aluminum, Etc.	3%
	Lithium-Ion Batteries	Batteries, Energy Storage Systems (ESS)	3%
	Transformers	3%	





F500 TKO Nozzle, 1-1/2" NH-NST Fitting

- Attached 2 liter container instantly educts a proportioned amount of F-500 EA® concentrate into your water stream
- Easily adjust your stream, fog pattern, and proportioning rate with the twist of a dial
- Quickly replace bottles as needed with a standard hose connection 1-1/2" NH-NST fitting
- Zero waste solution as F-500 EA® concentrate is educted at the nozzle; not the pumper

ITEM #	PRICE		
NOZTKOF5075L	\$2,158.00/EA		

FLUORINE FREE. BIODEGRADABLE. NON-CORROSIVE.

⊘ Justrite.

Lithium-Ion Battery Charging Cabinet

- · Ideal for charging and temporary storage of lithium-ion batteries
- 2kWh TECR maximum total capacity includes 8-receptacle power strip
- Heat-reactive label changes colors when external temperatures reach 120° Fahrenheit
- Shelf capacity: 65 lbs of evenly distributed weight
- Cabinet Exterior Dimensions: 24-in H x 43-in W x18-in D







Spring Loaded Dampers

Pressure Relief Vent System

Heat Activated Expanding Door Seals

DESIGNED TO CONTAIN:









5 Layers of Protection With ChargeGuard™

 Layer 1: Enhanced Crossflow Fan Ventilation -

Batteries stay cool while charging to reduce the risk of damage and fire due to overheating

 Layer 2: Double-Walled Thermal Containment -

Double-layer walls made of two layers of thick steel

 Layer 3: Low-Threshold Activated Dampers -

If cabinet temperatures reach 135F or higher, spring loaded dampers will activate

 Layer 4: Pressure Relief System -Vented filtration process cools flames to stop the spread of toxic gases and flammable vapors within the cabinet

Layer 5: Sealed Doors Reduce smoke and toxins from I

Reduce smoke and toxins from being released while ensuring proper flame





ITEM #	PRICE
231703	\$2,950.00/EA





Electric Vehicle Containment Blanket

- This fire blanket is a perfect shield against potential EV car fires and forklift fires
- Designed with firefighter-grade material, it swiftly contains fires, offering protection against intense heat and flames
- Must-have safety accessory for every EV owner
- Made with ultra-fine glass fiber and two-side silicone coated
- Thickness of 0.45-0.48mm
- Weight of 480g/m2
- Can withstand heat resistance of 550-1000°C

ITEM #	DESCRIPTION	PRICE
LFFB1616	Forklift 16' x 16'	\$809.99/EA
LFFB2020	Forklift 20' x 20'	\$949.99/EA
LFFB2323	EV 23' x 23'	\$1,369.99/EA
LFFB2027	EV 20' x 27'	\$1,679.99/EA
LFFB2030	EV 20' x 30'	\$1,889.99/EA



Most E-Bikes, E-Scooters, and many Forklifts are powered by Lithium-lon batteries; The same type of battery that can be found in most electric vehicles, cell phones, laptops, and power tools.









800 343 1354







1500 Series Enclosed Compressor

- 4 stage compressor block
- Air-cooled with a high velocity, 10 bladed fan
- Relief valves on all stages
- Aluminum inter coolers
- Stainless steel after cooler
- Interstage and final moisture separators
- Aluminum crankcase
- Forged steel crankshaft
- Cast iron cylinders




ITEM #	CFM	STAGES	PSI	HP	PHASES	PRICE
CE410A6E1C	14	4	6,000	10	Single with CO Monitor	\$32,950.00/EA



2500 Series Enclosed Compressor





- Air-cooled with a high-velocity, 12-bladed fan
- · Relief valve on all stages
- Aluminum intercoolers
- Stainless steel after cooler
- Inter-stage and final moisture separators
- Aluminum crankcase
- Steel crankshaft
- Cast iron cylinders
- 7.75 quart oil capacity
- Fully enclosed sound-dampened cabinet
- Lift off panel hinges
- Liquid filled inter-stage pressure gauges



ITEM #	CFM	STAGES	PSI	HP	PHASES	PRICE
CE420A6E3C	24	4	6,000	20	Triple with CO Monitor	\$45,950.00/EA







Solo Rescue® SCBA Decon Washer & Accessories

- Package includes unit, Heavy Duty Basket with holder for 2 single or double SCBA, Holder for 2 large air cylinders, 2 Gear Holders for boots, gloves and helmets, Metered Dosing Pump, ProBlend Detergent 2.5 gal, Shipping, and Installation
- Rotating basket system optimizes the water flow to reach all parts of equipment
- Cleans SCBAs, facepieces, boots, gloves, helmets, and/or tools
- Reduces and extracts dangerous soot particles, chemicals, and detergent residue from equipment
- Enclosed cleaning area minimizes exposure to carcinogenic material
- · Replacement accessories available



ITEM #

2094A







\$34,924.00/EA







Extractor 22 Washer 22 lb cap, Front Load

- Follows NFPA 1851 guidelines for proper PPE maintenance
- Standard power hookup (120v)
- · Utilizes standard plumbing hookups
- · Soft mount design, easy install
- · 22lb. drum holds 4 pieces of turnout gear
- · Connections available for an optional automatic soap injector
- · Front load design

ITEM #	PRICE
EW22	\$4,950.00/EA





Extractor 30 Washer 30 lb cap, Front

- · Easy to use, preprogrammed wash cycles
- Follows NFPA 1851 guidelines for proper PPE maintenance
- Standard power hook up (120v/60Hz Recommended Breaker 20amp)
- Utilizes standard plumbing hookups
- · Soft mount design, easy install
- · Connections available for automatic soap injector
- 30lb. drum holds three to 6 pieces of turnout gear

ITEM #	PRICE
EW30	\$7,449.00/EA





Decon Ready™ PPE Laundry Detergent

- Complies with the NFPA 1851: 2020
- Cleans off hydrocarbons, soot, grease, oil, cancer causing metal oxides, plastics, chemicals, and all three classes of contaminants
- · Leaves no residue
- Patent-pending innovative technology decontaminates and cleans without causing damage

ITEM #	SIZE	PRICE
DRLD1G	1 Gal.	\$73.65/EA
DRLD5G	5 Gal.	\$344.95/EA





Decon Wipes

- Cleans skin and eliminates carcinogenic compounds before leaving the scene of fire
- Proven scientific, third-party results, remove up to 98% of toxic flame retardant TCEP with a single swipe and up to 83% of Benzopyrene (BaP) with a single swipe
- 48 thick, tough, stretchable, and virtually indestructible 10"x9" wipes

ITEM # PRICE

DWI-HW-F5782PCH48 \$11.75/EA



Vortex DC2 Drying Cabinet

- · Programmable control and NFPA 1851 Compliant
- · Gentle drying without mechanical action
- · Compact design, easy installation and delivered pre-assembled
- · Capacity for drying 2 sets of turnout gear or large protective garments
- · Temperature tracking system with advanced control sensors
- Retractable hanging system
- · Overheat protection and high energy efficiency
- Included accessories: hanging rod, two Dry Kwik coat hangers, three tiers of retractable hanging racks, two ventilated shelves, door hook rack (13 hooks), and two door bars

ITEM # PRICEVDC2 \$5,995.00/EA



Smart-Dry 6 All-Purpose Drying Cabinet

- Programmable control and NFPA 1851 Compliant
- Gentle drying without mechanical action
- Dual circulation system dries from inside and outside simultaneously
- Program ends with "cool down" to room temperature
- Equipped with Humidity Tracking System (HTS) which uses sensors to detect the moisture level and stop the drying process when the gear is dry
- 6 detachable hangers are included in the standard design
- · For freight cost savings, assembly is required

ITEM #	PRICE
SDC6	\$18,950.00/EA

















Mobile Red Rack

- Ready Rack® components are manufactured with a durable, heavy-duty zinc chromate finish and protected with a special clear-coat sealer
- · Rack dries four complete sets of gear
- Unit is supplied with eight Dry Kwik coat hangers, eight Glove Dry hangers and eight hanging apparel hooks
- · Four heavy duty casters

ITEM #	PRICE
RMSS418	\$1,795.00/EA







Mobile Ready Rack

- Dimensions: 72" L x 36" D x 79" H
- Complete with support posts and 4 heavy duty 5" casters allowing you to wheel this around
- · Full-length grid dividers
- Support posts and leveling bolts
- · 2 Apparel hooks per locker unit
- 1 Nameplate per locker unit
- · 2 Hanging pole length of the unit, 1 per side
- · 8 sections, 18" section width

PRICE
\$1,396.25/EA





- Self-contained and comprehensive air decontamination system for enclosed apparatus cabs
- Reduces volatile organic compounds (VOCs), particulates, and aerosols carrying viruses and bacteria, including COVID-19
- Suitable for up to 350 cubic feet (9.91 cubic meters)
- 12 VDC
- 100 CFM (2.83 CMM)
- Replacement filters available, Part # TFT-CC305

ITEM #	PRICE
TFT-CC300	\$1,695.00/EA
TFT-CC305	\$220.00/EA









Mobile 3 Tier Hose Cart

- · Four heavy duty brake casters
- Easy to assemble
- Holds up to 3000' of 2-1/2" Hose, 104" L x 34" W x 87" H

ITEM #	PRICE
HC963T	\$2,414.00/EA





Multi-Purpose Mobile Bottle

- Safe and organized storage for SCBA cylinders
- Easily rolled to unload empty bottles
- · Four heavy-duty casters, two with foot brakes
- Can be custom-designed to fit your specifications

ITEM #	PRICE
MBR16	\$898.80/EA





Flat Dryer Hanger

- Features a 1" drop to accommodate coat and bunker pants
- Permit inside air circulation for thorough drying

ITEM #	PRICE
FDH	\$12.60/EA



PPE Drying Stand

- Designed for chemical suits and wet and dry dive gear
- · Accepts all suit styles and sizes
- · Durable steel construction
- · Corrosion resistant
- 30" length x 15" width x 8" height, collapsed

ITEM #	PRICE
GDS	\$160.00/EA





Helmet Holder

 Relieves pressure from ratchet band and allows interior parts to dry out fast

ITEM #	PRICE
НН	\$17.00/EA

800 343 1354 5!



Safety & Supplies for Life WE SERVICE **WHAT WE SUPPLY**



Gas Detection Service



- Expert Certified Technicians
- 50+ Years of Experience in Air Monitoring
- · Audio and Visual Alarm Verification
- Meter Adjustment & Detection Level Verification
- · Meter and Sensor Serial Number Logging and Tracking for Future Sensor Expiration Notifications
- · Comprehensive Check for Meter Parts Damage
- · On-Site Cal-Plus Program for Fixed Gas Detectors
- In-House and On-Site Service
- Loaner and Rental Units
- Quick Turnaround!



Five Star SCBA Service

- · On Site Annual Flow Testing
- · Automatic Flow Testing Notice
- 24 Hour On Site Fills
- · State of the Art Hydro Testing
- Spare Cylinder Inventory

