



D-SAFE Self-Retracting Lifelines



KStrong offers a full range of self-retracting lifeline solutions to meet nearly every user requirement and for a wide variety of applications. Whether the user is working in construction, utilities maintenance or general industry and the installation is overhead at foot-level or personally attached to the harness, Micron™ and BRUTE™ SRLs provide durable performance and reliability that's supported with 3rd-party testing documentation to meet all applicable industry standards.

Item #	Length	Cable Type	Attachment	Tag Line	Price
DV11FL	11ft	Webbing	Snap Hook	-	\$197.50
DV20RET	20ft	Steel	Snap Hook	Included	\$339.75
DV30RET	30ft	Steel	Snap Hook	Included	\$354.20
DV30RETS	(Sealed) 30ft	Steel	Snap Hook	Included	\$1,789.45
DV50RET	50ft	Steel	Snap Hook	Included	\$495.85
DV60RETS	(Sealed) 60ft	Steel	Snap Hook	Included	\$2,350.80



D-SAFE Self-Retracting Lifelines – Leading Edge



KStrong® BRUTE™ 25' - 50' Galvanized Wire Cable SRL-LE (ANSI Leading Edge Rated) with High Impact Strength Polymer Housing with Built-in Handle, swivel eye at anchorage end, other end with load indicator swivel snap hook.

Includes one (1) installation carabiner and one (1) tagline AFZ830025 (ANSI) applicable industry standards.



Carabiners included with every BRUTE™ SRL and SRL-LE. Tag Lines also included for all models 18 ft. and longer.

Item #	Length	Price
DV25RETLE	25 ft	\$404.95
DV50RETLE	50 ft	\$548.95



D-SAFE BRUTE™ 60' Wire Cable 3-Way Rescue Retrieval SRL-R



- BRUTE™ 60' Wire Cable 3-Way Rescue Retrieval SRL-R with swivel eye at anchorage end, other end with load indicator swivel locking snap hook
- Includes one (1) installation carabiner
- Includes one (1) tagline (ANSI)
- Retrieval fall arrester block in polymer casing coupled with hoisting winch to enable easy retrieval of victim
- The locking pin on the side of the casing at the base of the handle allows this dual system to work in independent fall arrest & winch modes



- Mounting Bracket for all KStrong® SRL-R 3-Way Rescue/Retrieval devices
- WEIGHT: 20.95 lbs
- Meets or Exceeds ANSI Z359.14-2014

Item #	Description	Price
DV60SRLR	3-Way SRL Unit	\$1,158.35
DV60SRLRBK	Mounting Bracket	\$125.05


D-SAFE Kapture™ Essential 3-Point Full Body Harness



- Adjust Lightweight Full Body Harness
- One dorsal attachment D-ring for fall arrest
- Mating Buckle Leg Closures
- Meets or Exceeds ANSI Z359.11-2014

Item #	Price
DV7M	\$45.95


D-SAFE Kapture™ Essential 3-Point Full Body Harness



- Lightweight , 3-Point Adjust
- One dorsal attachment D-ring for fall arrest
- Adjustable grommated leg straps
- Meets or Exceeds ANSI Z359.11-2014

Item #	Price
DV7TB	\$53.15


D-SAFE Kapture™ Elite 5-Point Full Body Harness



- 5-Point Adjust
- One dorsal attachment D-ring
- Adjustable shoulder and leg straps
- Tongue Buckle Leg Closures
- ANSI Z359.11-2014

Item #	Size	Price
DV8TB	LG/XL	\$65.90
DV8TBXXL	XL/XXL	\$65.90


D-SAFE Kapture™ Elite 5-Point Full Body Harness



- One dorsal D-ring & one sternal D-ring
- Two shoulder attachment D-rings
- Adj shoulder, grommated leg & chest straps
- Sub-pelvic and back straps
- ANSI Z359.11-2014

Item #	Size	Price
DV44TB	LG/XL	\$86.55
DV44TBXXL	XL/XXL	\$86.55

FALLTECH 3 Strand VLL Rope w/ Snap Hook, 5/8"



- Double locking snap hook at one end
- 5/8" 3-strand polyester rope
- Superior resistance to abrasion and UV light
- Exclusive steel thimble resists wear and extends the life of the line
- Meets OSHA 1926 and ANSI Z359

Item #	Size	Price
L1364DB50	50'	\$144.45
L1364DB100	100'	\$185.65

D-SAFE 5/8" Self-Tracking Steel Rope Grab with Anti-Panic Feature



- Non-captive design provides ability to place on and off 5/8" approved vertical rope lifeline as needed
- Moving Rope Grab on flexible anchorage line
- Moves along with the user climbing up or down and locks him in the case of a fall
- Made of high strength alloy steel
- ANSI Z359.15-2014

Item #	Price
DVTRG	\$53.75

D-SAFE Trauma Relief Pack



- Compact, lightweight and easy to use
- 0.79" polyester webbing
- Formed pouch for holding the straps
- Polyester webbing

Item #	Price
DVTR2P	\$17.55


D-SAFE 5K Drop Thru Anchor with Swivel D-ring



- Removable & reusable anchor designed for overhead applications
- 4" Round Plate
- 6' Cable length

Item #	Price
DV6DROP	\$99.95

D-SAFE Wire Cable Sling, Large and Small O-Rings



- Wire rope anchorage sling
- Made of PVC coated Galvanized steel

Item #	Length	Price
DV3CAS	3'	\$40.50
DV4CAS	4'	\$43.25
DV6CAS	6'	\$45.50

D-SAFE 6' Elasticated Design Shock Absorbing Lanyard

- Elasticated (stretches from 4.5 ft. to 6 ft.) design
- Meets or Exceeds ANSI Z359.13-2013

#DV6EREB

#DV6E100REB

#DV6EREG

#DV6E100REG

Item #	Style	Hook Ends	Price
DV6EREB	Single Leg	1 Snap, 1 Rebar	\$51.75
DV6EREG	Single Leg	2 Snap	\$47.75
DV6E100REB	Twin Leg*	1 Snap, 2 Rebar	\$87.25
DV6E100REG	Twin Leg*	3 Snap	\$69.50

* 100% Tie-Off

D-SAFE 6' Internal Design Shock Absorbing Lanyard

#DV6IREB

#DV6IREG

- 6 ft. Internal design shock absorbing lanyard
- Meets or Exceeds ANSI Z359.13-2013

Item #	Hook Ends	Price
DV6IREB	1 Snap, 1 Rebar	\$48.90
DV6IREG	2 Snap	\$45.95

D-SAFE Sliding Beam Anchor

- Rolling Beam Anchor Trolley
- Adjustable to fit I-beams with flange widths ranging from 3.5" to 14" (ANSI)

Item #	Price
DVA14BC	\$209.95

D-SAFE 6 ft. Micron™ SRL with Aluminum Carabiner

- Lightweight aluminum carabiner at anchor end
- Lightest SRL in its range/class
- Robust & durable plastic casing
- Dyneema webbing w/ energy absorb.
- Aluminum quarter turn locking hook with fall indicator at attachment end
- ANSI Z359.14-2014 CLASS A

Item #	Price
DV6FL	\$157.50

D-SAFE Dual 6 ft. Micron™ SRL Asmby. with Rebar Hooks

- Rebar hook at each anchor end
- Lightest SRL in its range/class
- Robust & durable plastic casing
- Dyneema webbing with energy absorber
- Stamped steel scaffold hook at attachment ends
- ANSI Z359.14-2014 CLASS A

Item #	Price
DV6TLRH	\$325.50

D-SAFE 6 ft. Micron™ SRL with Snap Hook

- Steel snap hook at anchor end
- Quarter turn locking carabiner
- Lightest available SRL in its range/class
- Robust & durable plastic casing
- Dyneema Webbing with Energy absorber
- ANSI Z359.14-2014 CLASS A

Item #	Price
DV6	\$159.90

D-SAFE 6 ft. Shock Absorbing Lanyards with Snap Hooks

#DV6TB100REG

Twin Leg 100% Tie-Off Clear Pack Design Shock Absorbing Lanyard

- Three (3) snap hooks
- Double, Y shaped lanyard incorporated with energy absorber
- All ends of the lanyard equipped with steel snap hook
- Meets or Exceeds ANSI Z359.13-2013

Item #	Price
DV6TB	\$45.25
DV6TB100REG	\$84.95

#DV6TB

Single Leg Tie-Back Shock Absorbing Lanyard

- Incorporated with Energy absorber
- Steel snap hook at attachment end
- Steel snap hook at anchorage end
- Equipped with adjustable D-Ring
- Meets or Exceeds ANSI Z359.13-2013

716.874.9060

DiValSafety.com

800.343.1354

D-SAFE Megapod™ Adjustable Tripod



- Adjustment achieved by sliding telescopic legs (Inner & Outer)
- Two pulley system provided to pass the wire rope of winch mounted on one leg and retrieval block on the other leg simultaneously

Item #	Height	Price
DV10TP	10ft	\$1,751.15
DV7TP	7ft	\$1,345.85

D-SAFE Single Use Steel Roof Anchor (ANSI)



- An ideal Anchorage device to be fixed on wooden beams used in roofing
- D-Ring can be safely used as an Anchor point
- Minimum Breaking Strength: 5000 lbs
- Finish: Silver or golden yellow Zinc plated
- Meets or Exceeds ANSI Z359.18-2017

Item #	Price
DVSURA	\$8.75

D-SAFE Carabiner



- Gate opening 0.84"
- Oval shaped carabiner made of 0.43" diameter round bar
- Self closing and automatic locking type carabiner

Item #	Price
DV523	\$16.90

D-SAFE Hinged Reusable Steel Roof Anchor (ANSI)



- Consists of two steel flaps each having 16 holes which can be fitted on the two sides of a wooden beam by means of nails inserted in the holes
- ANSI Z359.18-2017

Item #	Price
DVHRA	\$28.80

D-SAFE 60 ft. Galvanized Wire Cable Bi-Directional Winch



- Personnel/Material rated bi-directional winch for confined spaces
- Equipped with the Mounting plate and hardware for mounting to Megapod Tripod (ANSI)

Item #	Price
DV60PW	\$925.00

D-SAFE 50 ft. Roofers Kit with Self-Tracking Rope Grab




- 5-point Adjustable Harness (size LG/XL)
- 50 ft. Vertical 5/8" Diameter high strength Polysteel Twisted rope Lifeline

Item #	Price
DVST50RK	\$195.75




We are a Fall Protection Repair Center

- Factory trained and certified technicians
- SRL block, harness & lanyard inspections and tests
- Serviced fall protection equipment returned is with applicable certifications
- Rooftop fall protection inspections, evaluations and roof guardrail



D-SAFE Brute Cable SRL with Snap Hook



- High impact polymer housing with built-in handle
- Swivel eye at anchorage end
- Load indicator swivel snap hook
- Galvanized steel wire rope, 3/16"
- Includes (1) installation carabiner and (1) tagline
- Meets or exceeds ANSI Z359.14-2014 Class B & OSHA compliant
- Meets or exceeds ANSI Z359.14-2021 Class 1

Item #	Length	Price
DV20RET	20'	\$339.75
DV30RET	30'	\$354.20
DV50RET	50'	\$495.85




D-SAFE Brute Leading Edge Cable SRL with Snap Hook




- Robust & durable plastic casing
- Has swivel anchorage eye at anchorage end
- Steel swivel hook at retractable end
- Galvanized steel wire rope
- Comes with shock absorber with cover
- Includes (1) installation carabiner and (1) tagline
- Meets or exceeds ANSI Z359.14-2014 SRL-LE (Class B)
- Meets or exceeds ANSI Z359.14-2021 SRL-LE (Class 2)

Item #	Length	Price
DV18RETLE	18'	\$313.85
DV80RETLE	80'	\$1,072.75




D-SAFE Brute Sealed Series SRL w/ Stainless Steel Cable & Snap Hook




- Sealed design to restrict entry of dust, chemicals, fumes or any liquids inside to protect critical internal parts from contamination in off shore and areas where chemical hazard is evident
- Robust & durable polymer casing around metal chassis
- D-shackle at anchorage point for making connections
- Swivel stainless steel snap hook with load indicator at attachment end
- Stainless steel wire rope, 3/16"
- Meets or Exceeds ANSI Z359.14-2014 Class B & IP 68 Level of IEC 60529
- Meets or Exceeds ANSI Z359.14-2021 Class 1

Item #	Length	Price
DV30RETS	30'	\$1,789.45
DV60RETS	60'	\$2,350.80



K-Strong® Removable Bolt Anchor for Concrete, 3/4"



- Designed to work in 20mm / 3/4, drilled hole in concrete substrates
- Can be used in a variety of fall protection applications
- Meets or Exceeds ANSI Z359.18-2007

Item #	Price
UFA30090	\$87.55



K-Strong® Parapet Clam Anchor, Adjustable Arm

- Parapet anchor with extended movable arm which allows installation on the parapet with molding on outer edge
- Anchor suitable to be installed on the parapet of a building such that the anchor point lies at the top on the outside facade of the building
- Suitable to be installed on varying thickness of the parapet, width adjustment feature provided
- Tightening on to the parapet by use of rubber disks
- Meets or exceeds ANSI Z359.18-2017
- Min. width of the parapet on which installation possible: 2.36
- Max. width of the parapet on which installation possible: 14.17
- High strength alloy steel



Item #	Price
UFA30070	\$308.95




K-Strong® Removable Steel Girder Anchor




- Girder steel anchor is removable/ reusable anchor to be mounted on solid steel structures, Girders and steel I-Beams
- Can be installed very easily with one hand only
- Meets or Exceeds ANSI Z359.18-2017 Type A

Item #	Price
UFA30080	\$37.60




D-SAFE Brute Backer LE Cable SRL with Steel Snap Hook

- Robust & durable plastic casing
- Has swivel anchorage eye at anchorage end
- Ultralight design
- Galvanized steel wire rope, 3/16"
- Single leg retractable lanyard with steel snap hook at termination end and shock pack at harness attachment end
- Meets/exceeds ANSI Z359.14-2014 Class B
- Meets/exceeds ANSI Z359.14-2021 Class 2




Item #	Length	Price
DV85LE	8-1/2'	\$293.50




D-SAFE Brute Backer LE Dual Cable SRL w/ Steel Snap Hooks

- Robust & durable plastic casing
- Has swivel anchorage eye at anchorage end
- Ultralight design
- Twin legged retractable lanyard with steel snap hook at termination end and shock pack at harness attachment end
- ANSI Z359.14-2014 Class B, and ANSI Z359.14-2021 Class 2




Item #	Length	Price
DV85100LE	8-1/2'	\$645.00




D-SAFE Brute Backer LE Cable SRL with Steel Rebar Hook

- Designed to be used as retractable twin leg shock absorbing lanyard
- Robust & durable plastic casing
- Has swivel anchorage eye at anchorage end
- Ultralight design
- Galvanized steel wire rope, 3/16"
- Single leg retractable lanyard with stamped steel scaffold hook at termination end and shock pack at harness attachment end
- Meets/exceeds ANSI Z359.14-2014 Class B
- Meets/exceeds ANSI Z359.14-2021 Class 2



Item #	Length	Price
DV85RBLE	8-1/2'	\$324.25




D-SAFE Brute Backer LE Dual Cable SRL w/ Steel Rebar Hooks

- Designed to be used as retractable twin leg shock absorbing lanyard
- Robust & durable plastic casing
- Has swivel anchorage eye at anchorage end
- Ultralight design
- Galvanized steel wire rope, 3/16"
- Twin legged retractable lanyard w/ stamped steel scaffold hook at termination end and shock pack at harness attachment end
- ANSI Z359.14-2014 Class B, and ANSI Z359.14-2021 Class 2




Item #	Length	Price
DV85100LEREB	8-1/2'	\$623.10




D-SAFE Brute Backer LE Dual Cable SRL with Tie Back Hooks

- Robust & durable plastic casing
- Single leg tie-back SRL designed to be used in tie-back condition and near a potential leading edge as well
- Equipped with twin SRL connector for direct connection to the dorsal attachment point of harness
- Tie-back snap hook at the lanyard end to make connection with anchor structure
- External shock pack design for added protection in leading edge application
- Galvanized steel wire rope, 3/16"
- Meets or exceeds ANSI Z359.14-2014 Class B
- Meets or exceeds ANSI Z359.14-2021 Class 2




Item #	Length	Price
DV85100TBLE	8-1/2'	\$593.00



D-SAFE Brute Backer LE Cable SRL with Tie Back Hook

- Robust & durable plastic casing
- Single leg tie-back SRL designed to be used in tie-back condition and near a potential leading edge as well
- Equipped w/ twin SRL connector for direct connection to the dorsal attachment point of harness
- Tie-back snap hook at the lanyard end to make connection with anchor structure
- External shock pack design for added protection in leading edge application
- Galvanized steel wire rope, 3/16"
- Meets or exceeds ANSI Z359.14-2014 Class B
- Meets or exceeds ANSI Z359.14-2021 Class 2



Item #	Length	Price
DV85TBLE	8-1/2'	\$321.45



D-SAFE Kapture™ Element Arc Flash Rated 5-Point Full Body Harness



- 5 Point adjustable full body harness made with FR webbing
- Shoulder straps with Dielectric friction buckles for easy adjustment
- Chest straps & leg straps with Dielectric pass thru buckles for easy adjustment
- One back Dielectric D-Ring for fall arrest
- Stitching thread: Kevlar
- Metal: Alloy steel core w/ reinforced polymer
- Meets or Exceeds ANSI Z359.11-2021, ASTM F887-20

Item #	Size	Price
DVARCSMLG	SM / LG	\$325.60
DVARCLGXL	LG / XL'	\$325.60



D-SAFE Welder's SAL with Snap Hook & Rebar Hook

- Webbing lanyard incorporated with energy absorber
- One side of the lanyard equipped with steel snap hook and the other side of the lanyard equipped with steel rebar hook
- Webbing material: Aramid, 1.18" x .04"
- Stitching thread: Kevlar
- Metal component: alloy steel
- Meets or Exceeds ANSI Z359.13-2013



Item #	Length	Price
DV6ARCRB	6'	\$186.10



D-SAFE Welder's Twin Leg SAL with Snap Hook & Rebar Hooks

- Double, Y shaped lanyard
- Webbing lanyard incorporated with energy absorber
- One side of the lanyard equipped with steel snap hook and the other side of the lanyard equipped with two steel rebar hooks
- Stitching thread: Kevlar
- Metal component: Alloy steel
- Meets or Exceeds ANSI Z359.13-2013



Item #	Length	Price
DV6100ARCRB	6'	\$256.55



D-SAFE Megadavit™ H-Base Deluxe Kit

- Breaks down into five components for easy storage, transport and setup
- Modular design allows the use of various fixed and portable bases and an optional mast with extensions
- Cantilever arm comes with 3 adjustment positions
- Removable legs for easy transportation and installation purpose
- Multiple anchorage points for rescue applications
- Inbuilt swivel feature, davit column assembly can be rotated up to 360° by removing the locking pins provided to lock column
- High strength and durable aluminum alloy
- Minimum base opening 43.3", Maximum base opening 59.44"
- Conforms to EN795:2012 Type B, AS/NZS 5532:2013
- Load capacity 1102 lbs



Item #	Price
DVDELDAKIT	\$8,540.75



D-SAFE Megadavit™ H-Base Basic Kit

- Breaks down into five components for easy storage, transport and setup
- The modular design allows the use of various fixed and portable bases and an optional mast with extensions
- Cantilever arm comes with 3 adjustment positions
- An ideal choice to provide overhead anchorages in large holes of confined space
- Removable legs for easy transportation and installation purpose
- Multiple anchorage points for rescue applications
- Inbuilt swivel feature, davit column assembly can be rotated up to 360° by removing the locking pins provided to lock column
- High strength and durable aluminum alloy
- EN795:2012 Type B, AS/NZS 5532:2013



Item #	Price
DVDAK	\$6,496.65



D-SAFE Megadavit™ H-Base Frame Assembly

- H-Base assembly provides a safe and secure system for easy access to confined space by making complete system with lower mast & upper offset mast
- Comes with inbuilt swivel feature, lower mast assembly can be rotated even under load up to 360° by removing the locking pins provided to lock lower mast & H-Base
- A mini spirit leveler is attached in base assembly for proper leveling of davit legs height can also be adjusted to make the davit balanced at time of installation
- Wheels are provide at bottom for easy movement of davit system after assembly
- Minimum opening 43.3", Maximum opening 59.44"
- Aluminum alloy
- FD coated gray



Item #	Price
DVDABASE	\$3,958.50




D-SAFE Megadavit™ Column Mast, Wall/Floor Mounted Hitch




- Lower mast assembly is designed to be fixed on Megadavit system with H-base davit
- Comes with pre-installed mounting bracket which is compatible with retrieval blocks by using universal mounting bracket
- Upper offset mast support plate is designed to attach the upper offset mast with the help of locking pins & can be adjusted at 3 defined positions
- Additional eye nut is provide to use as an anchorage point in case of rescue
- Cap is provided on top of assembly to prevent ingress of water and dust particles
- Conforms to EN 795:2012 Type A

Item #	Length	Price
DVDA36M	36"	\$1,687.90
DVDA54M	54"	\$1,946.70



D-SAFE Megadavit™ Cantilever Boom Arm with Winch Bracket



- Upper offset mast is designed to be fixed upon lower mast assembly to make complete davit system for confined space entry
- Can be used with lower mast of all models of Megadavit system
- Pre-installed mounting bracket which is compatible to mount winches
- Comes with pulleys
- Additional eye nut is provide to use as an anchorage point in case of rescue
- Mast arm & big pulley: Aluminum alloy
- Conforms to EN 795:2012 Type A

Item #	Length	Price
DVDA3CBA	3'	\$2,074.25




D-SAFE Megadavit™ Floor Mount Column Mast Receiver




- Floor mounting base to easily mount Megadavit system on various floor such as concrete, metal structure or vehicle with help of suitable fasteners to access various confined spaces
- Hole at the bottom to drain out any unwanted water storage
- A polymer sleeve inside to prevent metal to metal contact and longer service life
- Housing: stainless steel

Item #	Price
DVDAFMC	\$993.15



D-SAFE Megadavit™ Wall Mount Column Mast Receiver



- Wall mounting base to easily mount Megadavit system on vertical structures such as walls or metal structures with suitable fasteners to access various confined spaces
- A polymer sleeve inside to prevent metal to metal contact and longer service life
- Housing: Stainless steel, Sleeve: PTFE

Item #	Price
DVDAWMC	\$911.45



D-SAFE Megadavit™ Concrete Embed Column Mast Receiver



- Core mounting sleeve can be permanently flushed in concrete during casting or by making drill at later stage
- Product is used to mount davit column on concrete base
- When not in use, sleeve can be closed/ sealed tight with help of mounting sleeve cap designed distinctly to prevent ingress of water and dust particles
- Body: Stainless Steel, Cap: Polymer

Item #	Price
DVDACMC	\$495.50