



D-SAFE Self-Retracting Lifelines



KStrong offers a full range of self-retracting lifeline solutions to meet nearly every user requirement and for a wide variety of applications. Whether the user is working in construction, utilities maintenance or general industry and the installation is overhead at foot-level or personally attached to the harness, Micron™ and BRUTE™ SRLs provide durable performance and reliability that's supported with 3rd-party testing documentation to meet all applicable industry standards.

Item #	Length	Cable Type	Attachment	Tag Line	Price
DV11FL	11ft	Webbing	Snap Hook	-	\$197.50
DV20RET	20ft	Steel	Snap Hook	Included	\$339.75
DV30RET	30ft	Steel	Snap Hook	Included	\$354.20
DV30RETS	(Sealed) 30ft	Steel	Snap Hook	Included	\$1,789.45
DV50RET	50ft	Steel	Snap Hook	Included	\$495.85
DV60RETS	(Sealed) 60ft	Steel	Snap Hook	Included	\$2,350.80



D-SAFE Self-Retracting Lifelines – Leading Edge



KStrong® BRUTE™ 25' - 50' Galvanized Wire Cable SRL-LE (ANSI Leading Edge Rated) with High Impact Strength Polymer Housing with Built-in Handle, swivel eye at anchorage end, other end with load indicator swivel snap hook.



Carabiners included with every BRUTE™ SRL and SRL-LE. Tag Lines also included for all models 18 ft. and longer.

Includes one (1) installation carabiner and one (1) tagline AFZ830025 (ANSI) applicable industry standards.

Item #	Length	Price
DV25RETLE	25 ft	\$404.95
DV50RETLE	50 ft	\$548.95



D-SAFE BRUTE™ 60' Wire Cable 3-Way Rescue Retrieval SRL-R



- BRUTE™ 60' Wire Cable 3-Way Rescue Retrieval SRL-R with swivel eye at anchorage end, other end with load indicator swivel locking snap hook
- Includes one (1) installation carabiner
- Includes one (1) tagline (ANSI)
- Retrieval fall arrester block in polymer casing coupled with hoisting winch to enable easy retrieval of victim
- The locking pin on the side of the casing at the base of the handle allows this dual system to work in independent fall arrest & winch modes



- Mounting Bracket for all KStrong® SRL-R 3-Way Rescue/Retrieval devices
- WEIGHT: 20.95 lbs
- Meets or Exceeds ANSI Z359.14-2014

Item #	Description	Price
DV60SRLR	3-Way SRL Unit	\$1,158.35
DV60SRLRBK	Mounting Bracket	\$125.05



D-SAFE Kapture™ Essential 3-Point Full Body Harness



- Adjust Lightweight Full Body Harness
- One dorsal attachment D-ring for fall arrest
- Mating Buckle Leg Closures
- Meets or Exceeds ANSI Z359.11-2014

Item #	Price
DV7M	\$45.95



D-SAFE Kapture™ Essential 3-Point Full Body Harness



- Lightweight , 3-Point Adjust
- One dorsal attachment D-ring for fall arrest
- Adjustable grommeted leg straps
- Meets or Exceeds ANSI Z359.11-2014

Item #	Price
DV7TB	\$53.15



D-SAFE Kapture™ Elite 5-Point Full Body Harness



- 5-Point Adjust
- One dorsal attachment D-ring
- Adjustable shoulder and leg straps
- Tongue Buckle Leg Closures
- ANSI Z359.11-2014

Item #	Size	Price
DV8TB	LG/XL	\$65.90
DV8TBXXL	XL/XXL	\$65.90



D-SAFE Kapture™ Elite 5-Point Full Body Harness



- One dorsal D-ring & one sternal D-ring
- Two shoulder attachment D-rings
- Adj shoulder, grommeted leg & chest straps
- Sub-pelvic and back straps
- ANSI Z359.11-2014

Item #	Size	Price
DV44TB	LG/XL	\$86.55
DV44TBXXL	XL/XXL	\$86.55



3 Strand VLL Rope w/ Snap Hook, 5/8"



- Double locking snap hook at one end
- 5/8" 3-strand polyester rope
- Superior resistance to abrasion and UV light
- Exclusive steel thimble resists wear and extends the life of the line
- Meets OSHA 1926 and ANSI Z359

Item #	Size	Price
L1364DB50	50'	\$144.45
L1364DB100	100'	\$185.65



5/8" Self-Tracking Steel Rope Grab with Anti-Panic Feature



- Non-captive design provides ability to place on and off 5/8" approved vertical rope lifeline as needed
- Moving Rope Grab on flexible anchorage line
- Moves along with the user climbing up or down and locks him in the case of a fall
- Made of high strength alloy steel
- ANSI Z359.15-2014

Item #	Price
DVTRG	\$53.75



D-SAFE Trauma Relief Pack



- Compact, lightweight and easy to use
- 0.79" polyester webbing
- Formed pouch for holding the straps
- Polyester webbing

Item #	Price
DVTR2P	\$17.55



D-SAFE 5K Drop Thru Anchor with Swivel D-ring



- Removable & reusable anchor designed for overhead applications
- 4" Round Plate
- 6' Cable length

Item #	Price
DV6DROP	\$99.95



D-SAFE Wire Cable Sling, Large and Small O-Rings



- Wire rope anchorage sling
- Made of PVC coated Galvanized steel

Item #	Length	Price
DV3CAS	3'	\$40.50
DV4CAS	4'	\$43.25
DV6CAS	6'	\$45.50



D-SAFE 6' Elasticated Design Shock Absorbing Lanyard

- Elasticated (stretches from 4.5 ft. to 6 ft.) design
- Meets or Exceeds ANSI Z359.13-2013



#DV6EREB



#DV6IREG



#DV6E100REB



#DV6E100REG

Item #	Style	Hook Ends	Price
DV6EREB	Single Leg	1 Snap, 1 Rebar	\$51.75
DV6IREG	Single Leg	2 Snap	\$47.75
DV6E100REB	Twin Leg*	1 Snap, 2 Rebar	\$87.25
DV6E100REG	Twin Leg*	3 Snap	\$69.50

* 100% Tie-Off



D-SAFE 6' Internal Design Shock Absorbing Lanyard




- 6 ft. Internal design shock absorbing lanyard
- Meets or Exceeds ANSI Z359.13-2013

Item #	Hook Ends	Price
DV6IREB	1 Snap, 1 Rebar	\$48.90
DV6IREG	2 Snap	\$45.95



D-SAFE Sliding Beam Anchor

- Rolling Beam Anchor Trolley
- Adjustable to fit I-beams with flange widths ranging from 3.5" to 14" (ANSI)



Item #	Price
DVA14BC	\$209.95



D-SAFE 6 ft. Micron™ SRL with Aluminum Carabiner



- Lightweight aluminum carabiner at anchor end
- Lightest SRL in its range/class
- Robust & durable plastic casing
- Dyneema webbing w/ energy absorb.
- Aluminum quarter turn locking hook with fall indicator at attachment end
- ANSI Z359.14-2014 CLASS A

Item #	Price
DV6FL	\$157.50



D-SAFE Dual 6 ft. Micron™ SRL Asmby. with Rebar Hooks



- Rebar hook at each anchor end
- Lightest SRL in its range/class
- Robust & durable plastic casing
- Dyneema webbing with energy absorber
- Stamped steel scaffold hook at attachment ends
- ANSI Z359.14-2014 CLASS A

Item #	Price
DV6TLRH	\$325.50



D-SAFE 6 ft. Micron™ SRL with Snap Hook



- Steel snap hook at anchor end
- Quarter turn locking carabiner
- Lightest available SRL in its range/class
- Robust & durable plastic casing
- Dyneema Webbing with Energy absorber
- ANSI Z359.14-2014 CLASS A

Item #	Price
DV6	\$159.90



D-SAFE 6 ft. Shock Absorbing Lanyards with Snap Hooks



#DV6TB100REG

- Twin Leg 100% Tie-Off Clear Pack Design Shock Absorbing Lanyard
- Three (3) snap hooks
- Double, Y shaped lanyard incorporated with energy absorber
- All ends of the lanyard equipped with steel snap hook
- Meets or Exceeds ANSI Z359.13-2013

Item #	Price
DV6TB	\$45.25
DV6TB100REG	\$84.95



#DV6TB

- Single Leg Tie-Back Shock Absorbing Lanyard
- Incorporated with Energy absorber
- Steel snap hook at attachment end
- Steel snap hook at anchorage end
- Equipped with adjustable D-Ring
- Meets or Exceeds ANSI Z359.13-2013

D-SAFE Megapod™ Adjustable Tripod



- Adjustment achieved by sliding telescopic legs (Inner & Outer)
- Two pulley system provided to pass the wire rope of winch mounted on one leg and retrieval block on the other leg simultaneously

Item #	Height	Price
DV10TP	10ft	\$1,751.15
DV7TP	7ft	\$1,345.85

D-SAFE Single Use Steel Roof Anchor (ANSI)



- An ideal Anchorage device to be fixed on wooden beams used in roofing
- D-Ring can be safely used as an Anchor point
- Minimum Breaking Strength: 5000 lbs
- Finish: Silver or golden yellow Zinc plated
- Meets or Exceeds ANSI Z359.18-2017

Item #	Price
DVSURA	\$8.75

D-SAFE Carabiner



- Gate opening 0.84"
- Oval shaped carabiner made of 0.43" diameter round bar
- Self closing and automatic locking type carabiner

Item #	Price
DV523	\$16.90

D-SAFE Hinged Reusable Steel Roof Anchor (ANSI)



- Consists of two steel flaps each having 16 holes which can be fitted on the two sides of a wooden beam by means of nails inserted in the holes
- ANSI Z359.18-2017

Item #	Price
DVHRA	\$28.80

D-SAFE 60 ft. Galvanized Wire Cable Bi-Directional Winch



- Personnel/Material rated bi-directional winch for confined spaces
- Equipped with the Mounting plate and hardware for mounting to Megapod Tripod (ANSI)

Item #	Price
DV60PW	\$925.00

D-SAFE 50 ft. Roofers Kit with Self-Tracking Rope Grab



- 5-point Adjustable Harness (size LG/XL)
- 50 ft. Vertical 5/8" Diameter high strength Polysteel Twisted rope Lifeline

Item #	Price
DVST50RK	\$195.75



We are a Fall Protection Repair Center

- Factory trained and certified technicians
- SRL block, harness & lanyard inspections and tests
- Serviced fall protection equipment returned is with applicable certifications
- Rooftop fall protection inspections, evaluations and roof guardrail



D-SAFE Brute Cable SRL with Snap Hook



- High impact polymer housing with built-in handle
- Swivel eye at anchorage end
- Load indicator swivel snap hook
- Galvanized steel wire rope, 3/16"
- Includes (1) installation carabiner and (1) tagline
- Meets or exceeds ANSI Z359.14-2014 Class B & OSHA compliant
- Meets or exceeds ANSI Z359.14-2021 Class 1

Item #	Length	Price
DV20RET	20'	\$339.75
DV30RET	30'	\$354.20
DV50RET	50'	\$495.85



D-SAFE Brute Leading Edge Cable SRL with Snap Hook



- Robust & durable plastic casing
- Has swivel anchorage eye at anchorage end
- Steel swivel hook at retractable end
- Galvanized steel wire rope
- Comes with shock absorber with cover
- Includes (1) installation carabiner and (1) tagline
- Meets or exceeds ANSI Z359.14-2014 SRL-LE (Class B)
- Meets or exceeds ANSI Z359.14-2021 SRL-LE (Class 2)

Item #	Length	Price
DV18RETLE	18'	\$313.85
DV80RETLE	80'	\$1,072.75



D-SAFE Brute Sealed Series SRL w/ Stainless Steel Cable & Snap Hook



- Sealed design to restrict entry of dust, chemicals, fumes or any liquids inside to protect critical internal parts from contamination in off shore and areas where chemical hazard is evident
- Robust & durable polymer casing around metal chassis
- D-shackle at anchorage point for making connections
- Swivel stainless steel snap hook with load indicator at attachment end
- Stainless steel wire rope, 3/16"
- Meets or Exceeds ANSI Z359.14-2014 Class B & IP 68 Level of IEC 60529
- Meets or Exceeds ANSI Z359.14-2021 Class 1

Item #	Length	Price
DV30RETS	30'	\$1,789.45
DV60RETS	60'	\$2,350.80



K-Strong® Removable Bolt Anchor for Concrete, 3/4"



- Designed to work in 20mm / 3/4, drilled hole in concrete substrates
- Can be used in a variety of fall protection applications
- Meets or Exceeds ANSI Z359.18-2007

Item #	Price
UFA30090	\$87.55



K-Strong® Parapet Clam Anchor, Adjustable Arm

- Parapet anchor with extended movable arm which allows installation on the parapet with molding on outer edge
- Anchor suitable to be installed on the parapet of a building such that the anchor point lies at the top on the outside facade of the building
- Suitable to be installed on varying thickness of the parapet, width adjustment feature provided
- Tightening on to the parapet by use of rubber disks
- Meets or exceeds ANSI Z359.18-2017
- Min. width of the parapet on which installation possible: 2.36
- Max. width of the parapet on which installation possible: 14.17
- High strength alloy steel



Item #	Price
UFA30070	\$308.95



K-Strong® Removable Steel Girder Anchor



- Girder steel anchor is removable/ reusable anchor to be mounted on solid steel structures, Girders and steel I-Beams
- Can be installed very easily with one hand only
- Meets or Exceeds ANSI Z359.18-2017 Type A

Item #	Price
UFA30080	\$37.60



D-SAFE Brute Backer LE Cable SRL with Steel Snap Hook

- Robust & durable plastic casing
- Has swivel anchorage eye at anchorage end
- Ultralight design
- Galvanized steel wire rope, 3/16"
- Single leg retractable lanyard with steel snap hook at termination end and shock pack at harness attachment end
- Meets/exceeds ANSI Z359.14-2014 Class B
- Meets/exceeds ANSI Z359.14-2021 Class 2



Item #	Length	Price
DV85LE	8-1/2'	\$293.50



D-SAFE Brute Backer LE Dual Cable SRL w/ Steel Snap Hooks

- Robust & durable plastic casing
- Has swivel anchorage eye at anchorage end
- Ultralight design
- Twin legged retractable lanyard with steel snap hook at termination end and shock pack at harness attachment end
- ANSI Z359.14-2014 Class B, and ANSI Z359.14-2021 Class 2



Item #	Length	Price
DV85100LE	8-1/2'	\$645.00



D-SAFE Brute Backer LE Cable SRL with Steel Rebar Hook

- Designed to be used as retractable twin leg shock absorbing lanyard
- Robust & durable plastic casing
- Has swivel anchorage eye at anchorage end
- Ultralight design
- Galvanized steel wire rope, 3/16"
- Single leg retractable lanyard with stamped steel scaffold hook at termination end and shock pack at harness attachment end
- Meets/exceeds ANSI Z359.14-2014 Class B
- Meets/exceeds ANSI Z359.14-2021 Class 2



Item #	Length	Price
DV85RBLE	8-1/2'	\$324.25



D-SAFE Brute Backer LE Dual Cable SRL w/ Steel Rebar Hooks

- Designed to be used as retractable twin leg shock absorbing lanyard
- Robust & durable plastic casing
- Has swivel anchorage eye at anchorage end
- Ultralight design
- Galvanized steel wire rope, 3/16"
- Twin legged retractable lanyard w/ stamped steel scaffold hook at termination end and shock pack at harness attachment end
- ANSI Z359.14-2014 Class B, and ANSI Z359.14-2021 Class 2



Item #	Length	Price
DV85100LEREB	8-1/2'	\$623.10



D-SAFE Brute Backer LE Dual Cable SRL with Tie Back Hooks

- Robust & durable plastic casing
- Single leg tie-back SRL designed to be used in tie-back condition and near a potential leading edge as well
- Equipped with twin SRL connector for direct connection to the dorsal attachment point of harness
- Tie-back snap hook at the lanyard end to make connection with anchor structure
- External shock pack design for added protection in leading edge application
- Galvanized steel wire rope, 3/16"
- Meets or exceeds ANSI Z359.14-2014 Class B
- Meets or exceeds ANSI Z359.14-2021 Class 2



Item #	Length	Price
DV85100TBLE	8-1/2'	\$593.00



D-SAFE Brute Backer LE Cable SRL with Tie Back Hook

- Robust & durable plastic casing
- Single leg tie-back SRL designed to be used in tie-back condition and near a potential leading edge as well
- Equipped w/ twin SRL connector for direct connection to the dorsal attachment point of harness
- Tie-back snap hook at the lanyard end to make connection with anchor structure
- External shock pack design for added protection in leading edge application
- Galvanized steel wire rope, 3/16"
- Meets or exceeds ANSI Z359.14-2014 Class B
- Meets or exceeds ANSI Z359.14-2021 Class 2



Item #	Length	Price
DV85TBLE	8-1/2'	\$321.45



D-SAFE Kapture™ Element Arc Flash Rated 5-Point Full Body Harness



- 5 Point adjustable full body harness made with FR webbing
- Shoulder straps with Dielectric friction buckles for easy adjustment
- Chest straps & leg straps with Dielectric pass thru buckles for easy adjustment
- One back Dielectric D-Ring for fall arrest
- Stitching thread: Kevlar
- Metal: Alloy steel core w/ reinforced polymer
- Meets or Exceeds ANSI Z359.11-2021, ASTM F887-20

Item #	Size	Price
DVARCSMLG	SM / LG	\$325.60
DVARCLGXL	LG / XL'	\$325.60



D-SAFE Welder's SAL with Snap Hook & Rebar Hook

- Webbing lanyard incorporated with energy absorber
- One side of the lanyard equipped with steel snap hook and the other side of the lanyard equipped with steel rebar hook
- Webbing material: Aramid, 1.18" x .04"
- Stitching thread: Kevlar
- Metal component: alloy steel
- Meets or Exceeds ANSI Z359.13-2013



Item #	Length	Price
DV6ARCRB	6'	\$186.10



D-SAFE Welder's Twin Leg SAL with Snap Hook & Rebar Hooks

- Double, Y shaped lanyard
- Webbing lanyard incorporated with energy absorber
- One side of the lanyard equipped with steel snap hook and the other side of the lanyard equipped with two steel rebar hooks
- Stitching thread: Kevlar
- Metal component: Alloy steel
- Meets or Exceeds ANSI Z359.13-2013



Item #	Length	Price
DV6100ARCRB	6'	\$256.55



D-SAFE Megadavit™ H-Base Deluxe Kit

- Breaks down into five components for easy storage, transport and setup
- Modular design allows the use of various fixed and portable bases and an optional mast with extensions
- Cantilever arm comes with 3 adjustment positions
- Removable legs for easy transportation and installation purpose
- Multiple anchorage points for rescue applications
- Inbuilt swivel feature, davit column assembly can be rotated up to 360° by removing the locking pins provided to lock column
- High strength and durable aluminum alloy
- Minimum base opening 43.3", Maximum base opening 59.44"
- Conforms to EN795:2012 Type B, AS/NZS 5532:2013
- Load capacity 1102 lbs



Item #	Price
DVDELDAKIT	\$8,540.75



D-SAFE Megadavit™ H-Base Basic Kit

- Breaks down into five components for easy storage, transport and setup
- The modular design allows the use of various fixed and portable bases and an optional mast with extensions
- Cantilever arm comes with 3 adjustment positions
- An ideal choice to provide overhead anchorages in large holes of confined space
- Removable legs for easy transportation and installation purpose
- Multiple anchorage points for rescue applications
- Inbuilt swivel feature, davit column assembly can be rotated up to 360° by removing the locking pins provided to lock column
- High strength and durable aluminum alloy
- EN795:2012 Type B, AS/NZS 5532:2013



Item #	Price
DVDAK	\$6,496.65



D-SAFE Megadavit™ H-Base Frame Assembly

- H-Base assembly provides a safe and secure system for easy access to confined space by making complete system with lower mast & upper offset mast
- Comes with inbuilt swivel feature, lower mast assembly can be rotated even under load up to 360° by removing the locking pins provided to lock lower mast & H-Base
- A mini spirit leveler is attached in base assembly for proper leveling of davit legs height can also be adjusted to make the davit balanced at time of installation
- Wheels are provide at bottom for easy movement of davit system after assembly
- Minimum opening 43.3", Maximum opening 59.44"
- Aluminum alloy
- FD coated gray



Item #	Price
DVDABASE	\$3,958.50



D-SAFE Megadavit™ Column Mast, Wall/Floor Mounted Hitch



- Lower mast assembly is designed to be fixed on Megadavit system with H-base davit
- Comes with pre-installed mounting bracket which is compatible with retrieval blocks by using universal mounting bracket
- Upper offset mast support plate is designed to attach the upper offset mast with the help of locking pins & can be adjusted at 3 defined positions
- Additional eye nut is provide to use as an anchorage point in case of rescue
- Cap is provided on top of assembly to prevent ingress of water and dust particles
- Conforms to EN 795:2012 Type A

Item #	Length	Price
DVDA36M	36"	\$1,687.90
DVDA54M	54"	\$1,946.70



D-SAFE Megadavit™ Cantilever Boom Arm with Winch Bracket



- Upper offset mast is designed to be fixed upon lower mast assembly to make complete davit system for confined space entry
- Can be used with lower mast of all models of Megadavit system
- Pre-installed mounting bracket which is compatible to mount winches
- Comes with pulleys
- Additional eye nut is provide to use as an anchorage point in case of rescue
- Mast arm & big pulley: Aluminum alloy
- Conforms to EN 795:2012 Type A

Item #	Length	Price
DVDA3CBA	3'	\$2,074.25



D-SAFE Megadavit™ Floor Mount Column Mast Receiver



- Floor mounting base to easily mount Megadavit system on various floor such as concrete, metal structure or vehicle with help of suitable fasteners to access various confined spaces
- Hole at the bottom to drain out any unwanted water storage
- A polymer sleeve inside to prevent metal to metal contact and longer service life
- Housing: stainless steel

Item #	Price
DVDAFMC	\$993.15



D-SAFE Megadavit™ Wall Mount Column Mast Receiver



- Wall mounting base to easily mount Megadavit system on vertical structures such as walls or metal structures with suitable fasteners to access various confined spaces
- A polymer sleeve inside to prevent metal to metal contact and longer service life
- Housing: Stainless steel, Sleeve: PTFE

Item #	Price
DVDAWMC	\$911.45



D-SAFE Megadavit™ Concrete Embed Column Mast Receiver



- Core mounting sleeve can be permanently flushed in concrete during casting or by making drill at later stage
- Product is used to mount davit column on concrete base
- When not in use, sleeve can be closed/ sealed tight with help of mounting sleeve cap designed distinctly to prevent ingress of water and dust particles
- Body: Stainless Steel, Cap: Polymer

Item #	Price
DVDACMC	\$495.50